

# SUBJECT INDEX

- A**
- Abl family
    - protein tyrosine kinase structure and function, 382
  - Acceptor proteins
    - aminoacyl-tRNA synthesis and, 636-37
  - Accessory proteins
    - DNA replication fidelity and, 519
  - Acetylation
    - cyclooxygenases and, 159
  - N-Acetylglucosamine (GlcNAc)
    - protein glucosylation and folding, 69-89
  - Acetylhydrolases
    - platelet-activating factor and related lipid mediators, 433-41
  - Action spectra
    - cryptochrome circadian photoreceptor and, 43-44
  - Activation
    - cytochrome *bc* complexes and, 1052-53
    - influenza hemagglutinin and, 545-46
    - mediator of transcriptional regulation and, 729-47
    - platelet-activating factor and related lipid mediators, 421-23
    - regulation of chromosome replication and, 845-55
  - Active sites
    - cyclooxygenases and, 152-53, 155-56, 158
    - DNA replication fidelity and, 497-523
    - history of research, 22-23
    - swinging arms and swinging domains in multifunctional enzymes, 961, 987-95
  - Active structure maintenance
    - ribozyme structures and mechanisms, 610-11
  - Acyl carrier protein
    - swinging arms and swinging domains in multifunctional enzymes, 961, 982-83
  - Acyl rearrangement
    - protein splicing and, 453-77
  - Acyl transfer reactions
    - antibody catalysis and, 769-76
  - Adaptor proteins
    - apoptosis signaling and, 220-21
    - clathrin and, 699-723
  - Adenosine nucleotides
    - autophagy, CVT pathway, and pexophagy, 326-27
  - Adhesion
    - platelet-activating factor and related lipid mediators, 421-23
  - Adiantum capillus-veneris*
    - cryptochrome circadian photoreceptor and, 40, 42
  - Aeropyrum pernix*
    - aminoacyl-tRNA synthesis and, 639
  - Affinity tags
    - self-cleavable protein splicing and, 468-72
  - Age discrimination
    - academic, 25
  - Agrobacterium tumefaciens*
    - two-component signal transduction and, 205-6
  - Alanine
    - aminoacyl-tRNA synthesis and, 622, 625, 629, 634
    - antibody catalysis and, 768, 776
    - cyclooxygenases and, 149
    - microtubules and, 283
  - Aldolases
    - antibody catalysis and, 777-82
  - alg6* mutants
    - protein glucosylation and folding, 83
  - Allostereism
    - cyclooxygenases and, 155, 159
    - GTPase-activating proteins for heterotrimeric G proteins, 795-822
    - history of research, 15-19, 22-23
  - Alzheimer's disease
    - cyclooxygenases and, 145-74
  - Amidase 43C9
    - antibody catalysis and, 775-76
  - Amino acids
    - aminoacyl-tRNA synthesis and, 617-42
    - antibody catalysis and, 758-79
    - apoptosis signaling and, 217-37
    - chemical protein synthesis and, 944-45

- chromosome dynamics and, 127
- clathrin and, 707–8, 710, 715
- coupling of ORFs by translational bypassing, 345–47, 349, 351, 365–67
- cryptochrome circadian photoreceptor and, 53
- cyclooxygenases and, 148–61
- GTPase-activating proteins for heterotrimeric G proteins, 800–2, 806, 813
- helical membrane protein folding, stability, and evolution, 895–99
- hexameric helicases and, 685
- history of research, 1, 18–22
- mediator of transcriptional regulation and, 743
- microtubules and, 282–83, 293, 296–97
- protein glucosylation and folding, 69–89
- protein splicing and, 455–57
- protein tyrosine kinase structure and function, 373–95
- regulation of chromosome replication and, 847
- ribozyme structures and mechanisms, 599
- swinging arms and swinging domains in multifunctional enzymes, 979–80
- two-component signal transduction and, 183–207
- Aminoacyl-tRNA synthesis alternative functions of aminoacyl-tRNA synthetases, 634
- class I and II enzymes, 620–23
- class I/type LysRS, 631–32
- diagnostic targets, 641–42
- diversity of pathways, 639–40
- enzyme distribution, 640
- evolution, 639–40
- formylmethionyl-tRNA synthesis, 634–35
- future research, 642
- introduction, 618–19
- multienzyme complexes, 633
- noncanonical aminoacyl t-RNA synthetases, 631–32
- relaxed specificity in AspRS and GluRS, 632–33
- selenocysteinyl-tRNA pathway, 635–37
- specificity and proofreading during aminoacylation, 629–31
- structural and biochemical dissection of amino acid activation, 624–25
- therapeutic targets, 641–42
- transamidation pathways for synthesis of Asn-tRNA and Gln-tRNA, 637–39
- tRNA-dependent amino acid transformations, 634–39
- tRNA recognition and selection, 625–29
- Aminopeptidase I autophagy, CVT pathway, and pexophagy, 303–37
- Anaphase spindle assembly in animal cells and, 98–101, 104, 108, 111
- Anaphase-promoting complex/cyclosome chromosome dynamics and, 135
- Anchoring yeast homotypic vacuole fusion and, 247, 270
- Animal cells GTPase-activating proteins for heterotrimeric G proteins, 795–98, 804–5, 807–8, 822
- spindle assembly and, 95–111
- Antibiotics aminoacyl-tRNA synthesis and, 641
- protein glucosylation and folding, 86
- Antibodies influenza hemagglutinin and, 531–63
- Antibody catalysis acyl transfer reactions, 769–76
- aldolases, 777–82
- catalytic efficiency, 752–87
- conclusions, 787
- cycloadditions, 761–66
- electrostatic catalysis, 769–76
- exploiting antibodies as catalysts, 752
- ferrochelataase mimics, 766–69
- functional groups, 776–81
- general lessons from comparisons of enzymes and antibodies, 781
- genetic engineering, 785
- hapten design, 754–84
- miscellaneous systems, 769
- optimizing efficiency, 783–87
- perspectives, 781–87
- proximity effects, 755–66
- representative catalytic antibodies, 755–81
- scaffolding, 786–87

- screening, 785  
 selection, 786  
 sigmatropic rearrangements, 755–60  
 strain, 766–69
- Anticodons**  
 aminoacyl-tRNA synthesis and, 617–42
- Antigenic variation**  
 influenza hemagglutinin and, 531, 540–43
- Antigens**  
 hexameric helicases and, 671  
 swinging arms and swinging domains in multifunctional enzymes, 996
- Antimicrobial therapy**  
 two-component signal transduction and, 206–7
- Antimitotic tubulin ligands**  
 microtubules and, 277, 296–98
- Antimutator polymerases**  
 DNA replication fidelity and, 501–6
- Antiparallel microtubules**  
 spindle assembly in animal cells and, 108
- Apaf1 protein**  
 apoptosis signaling and, 221
- AP complexes**  
 clathrin and, 702–3, 714
- Apg proteins**  
 autophagy, CVT pathway, and pexophagy, 314, 317
- Apoptosis signaling**  
 adaptor proteins, 220–21  
 background, 218  
 Bcl-2 protein family, 224–36  
 caspases, 219–20  
 conclusions, 236–37  
 disease, 230–33  
 history, 218
- molecular changes, 218  
           morphological changes, 218  
           normal physiology, 228–30  
           overview, 226–28  
           perspectives, 236–37  
           tumor necrosis factor receptor family, 222–23
- Arabidopsis thaliana*  
 cryptochrome circadian photoreceptor and, 31, 40, 42–43, 48, 54  
 mRNA decapping in *Saccharomyces cerevisiae* and, 586  
 protein glucosylation and folding, 75  
 two-component signal transduction and, 189
- Arachidonate**  
 cyclooxygenases and, 162–64
- Archaeal helicase**  
 hexameric helicases and, 662
- Archaea* spp.  
 cryptochrome circadian photoreceptor and, 40
- Archaeoglobus fulgidus*  
 aminoacyl-tRNA synthesis and, 639
- Architecture**  
 protein tyrosine kinase structure and function, 376–79
- Arginine**  
 aminoacyl-tRNA synthesis and, 621–22, 624, 627, 629, 633  
 antibody catalysis and, 758, 767–68, 771, 775  
 cyclooxygenases and, 149, 155–56, 158, 160–61  
 hexameric helicases and, 685
- Arrestins**  
 clathrin and, 699, 714–15
- A site decoding**  
 coupling of ORFs by translational bypassing, 361–64
- Asparagine**  
 aminoacyl-tRNA synthesis and, 622, 625, 629, 631–32, 637–40  
 antibody catalysis and, 763–64, 775  
 cyclooxygenases and, 152  
 GTPase-activating proteins for heterotrimeric G proteins, 813  
 microtubules and, 282  
 protein glucosylation and folding, 69–89  
 protein splicing and, 455–56
- Aspartate**  
 aminoacyl-tRNA synthesis and, 621–23, 625, 627–29, 632–33, 639  
 antibody catalysis and, 767–68, 777  
 apoptosis signaling and, 217–37  
 GTPase-activating proteins for heterotrimeric G proteins, 806  
 microtubules and, 282  
 protein glucosylation and folding, 81  
 two-component signal transduction and, 187–88, 196, 201–3, 205
- Aspartate transcarbamoylase**  
 history of research, 1, 13–23, 25–27
- Aspartic acid**  
 coupling of ORFs by translational bypassing, 349  
 microtubules and, 283
- Aspergillus nidulans*  
 chromosome dynamics and, 120, 122

- cryptochrome circadian photoreceptor and, 48  
 two-component signal transduction and, 188
- Aspirin**  
 cyclooxygenases and, 145, 159
- Assembly**  
 peroxisomal matrix and membrane protein import, 405-9
- Astral microtubules**  
 spindle assembly in animal cells and, 96-97
- Atomic structure**  
 clathrin and, 708-11
- Attenuation**  
 signal  
   GTPase-activating proteins for heterotrimeric G proteins, 795-822
- Autoimmune disorders**  
 apoptosis signaling and, 217, 229-33
- Autophagy**  
 cytoplasm-to-vacuole targeting pathway, and pexophagy in yeast and mammalian cells  
   adenosine nucleotides, 326-27  
   aminopeptidase I, 308-10  
   Apg/Aut3, 314  
   Apg6/Vps30, 317  
   Aut2, 321  
   *aut7/cvt5/apg8*, 321  
   breakdown of CVT and autophagic bodies, 322-23  
   Ca<sup>2+</sup>, 326-27  
   cAMP, 327  
   clathrin, 322  
   conclusions, 336-37  
   coupling CVT and autophagy pathways, 313  
   *CSC1/END13/GRD13/VPS4*, 317  
   CVT/autophagic body degradation, 312-13  
   Cvt3, 315  
   Cvt9, 314-15  
   *cvt17/aut5*, 322  
   cytoplasm-to-vacuole targeting pathway, 309-13  
   cytoskeleton, 320-21, 328  
   early sequestration, 333-34  
   endosome, 316-17  
   future research, 336-37  
   GTP-binding proteins, 327-28  
   isolating autophagy mutants, 306-8  
   isolation of CVT mutants and their genetic overlap with autophagy mutants, 310-11  
   kinases and associated factors, 313-15  
   late sequestration, 334-35  
   lipid kinases, 324-26  
   macroautophagy in *Saccharomyces cerevisiae*, 305-6  
   mammalian macroautophagy, 323-29  
   membrane expansion, 312  
   membrane sequestration, 312  
   miscellaneous component, 322-23  
   model for prAPI import by both CYT and autophagy pathways, 312-13  
   molecular components of autophagy and CVT pathways, 313-23  
   morphological analysis of macrophagy, 305-6  
   oligomerization of prAPI and CVT complex formation, 312  
   peroxisome degradation, 329-36  
   pexophagosome targeting/docking/fusion with vacuole, 335  
   phosphatidylinositol (PI-3) kinase, 326  
   protein components required for autophagy, 329  
   protein conjugation system, 315-16  
   protein kinases, 324-26  
   protein phosphatases, 324-26  
   protein synthesis and energy requirements, 328-29  
   rapamycin, 326  
   regulation of autophagy, 324  
   sequestering membrane origin, 323-24  
   signaling, 313-33  
   specialized intermediate compartment, 316-17  
   Tlg2, 318  
   Tor kinase, 314  
   Vac8, 321-22  
   *vam2/vps41*, 320  
   Vam3, 318, 319  
   *vam6/vps39*, 320  
   Vam7, 319  
   vesicle breakdown, 336  
   vesicle formation, 312  
   vesicle fusion machinery, 318-20  
   vesicle targetng,

- docking, and fusion with vacuole, 312
- Vps18 complex, 320
- Vps34, 315
- Vps45, 318
- Vti1, 319
- Ypt7, 319–20
- Autoprocessing protein
  - protein splicing and, 447–93
- Aut proteins
  - autophagy, CVT pathway, and pexophagy, 321
- AZ-28 active site
  - antibody catalysis and, 759–60
- B**
- Bacillus stearothermophilus*
  - aminoacyl-tRNA synthesis and, 622, 624, 641
- Bacillus subtilis*
  - aminoacyl-tRNA synthesis and, 633–34, 637–39
  - antibody catalysis and, 767
  - chromosome dynamics and, 133
  - swinging arms and swinging domains in multifunctional enzymes, 963
  - two-component signal transduction and, 193–94, 196, 203–5
- Backbone engineering
  - chemical protein synthesis and, 946
- Bacteria
  - aminoacyl-tRNA synthesis and, 634, 637–40, 642
  - antibody catalysis and, 767
  - chromosome dynamics and, 133–34
  - coupling of ORFs by translational bypassing, 346, 350–51, 366, 368
  - cryptochrome circadian photoreceptor and, 33, 35
  - cytochrome *bc* complexes and, 1005–67
  - hexameric helicases and, 661–62
  - history of research, 1, 7–9
  - microtubules and, 282–83
  - protein glucosylation and folding, 75
  - two-component signal transduction and, 183–207
- Bacteriophage DNA
  - spindle assembly in animal cells and, 104
- Bacteriophage helicases
  - hexameric helicases and, 660–61, 671, 686–88
- Bacteriophages
  - coupling of ORFs by translational bypassing, 343–69
- Bacteriophage T7
  - hexameric helicases and, 651–91
- Bacteroides fragilis*
  - two-component signal transduction and, 206
- Bacteroides rumenicola*
  - coupling of ORFs by translational bypassing, 368
- Baculovirus
  - cyclooxygenases and, 152
- Base pair geometry
  - DNA replication fidelity and, 497–523
- Base substitution fidelity
  - DNA replication fidelity and, 497–513
- Bcl-2 protein family
  - apoptosis signaling and, 217, 224–26, 233–36
- BDF1* gene
  - mediator of transcriptional regulation and, 745–46
- Bifurcated reduction
  - cytochrome *bc* complexes and, 1055–56
- Bilins
  - cryptochrome circadian photoreceptor and, 36
- Bim proteins
  - chromosome dynamics and, 122
  - spindle assembly in animal cells and, 105–7
- Binding-site evolution
  - influenza hemagglutinin and, 531–63
- Biochemical peptide ligation
  - chemical protein synthesis and, 935–39
- Biogenesis
  - organelle
    - peroxisomal matrix and membrane protein import, 399–414
- Biotin
  - swinging arms and swinging domains in multifunctional enzymes, 961, 963–64, 968–69
- Biotinyl domain
  - swinging arms and swinging domains in multifunctional enzymes, 980, 984–86
- Bipolarity
  - spindle assembly in animal cells and, 105–7
- Blobs
  - clathrin and, 713
- Bloom's syndrome
  - hexameric helicases and, 651–91
  - regulation of chromosome replication and, 864
- Blue-light photoreceptor
  - cryptochrome circadian photoreceptor and, 41–43, 47
- BMAL1* gene

- cryptochrome circadian photoreceptor and, 50, 53–54, 56, 58–60, 62  
*Bordetella pertussis*  
   two-component signal transduction and, 203, 206  
*Borrelia burgdorferi*  
   aminoacyl-tRNA synthesis and, 641  
 Borrelidin  
   aminoacyl-tRNA synthesis and, 641  
 Boundary cells  
   synthetic  
     history of research, 1, 9–10  
 Bovine *bc<sub>1</sub>* complex  
   cytochrome *bc* complexes and, 1013, 1016–17, 1019  
 Bradykinin  
   cyclooxygenases and, 164  
 Breast cancer  
   cryptochrome circadian photoreceptor and, 62  
   cyclooxygenases and, 168, 171, 174  
 "Breathing"  
   microtubules and, 285–86  
 Brevicomins  
   antibody catalysis and, 780  
 Bridging  
   coupling of ORFs by translational bypassing, 358–59  
 Bub1 protein  
   spindle assembly in animal cells and, 109  
 Bulk cytoplasmic cargo  
   autophagy, CVT pathway, and pexophagy, 303–37
- C**  
 Ca<sup>2+</sup>  
   autophagy, CVT pathway, and pexophagy, 326–27  
   cyclooxygenases and, 163–64  
   protein glucosylation and folding, 76–77, 79, 83, 89  
   ribozyme structures and mechanisms, 605  
   yeast homotypic vacuole fusion and, 247–70  
*Caenorhabditis elegans*  
   apoptosis signaling and, 219–221, 224, 226, 228, 234–35  
   chromosome dynamics and, 129  
   clathrin and, 707–8, 720  
   cryptochrome circadian photoreceptor and, 58  
   GTPase-activating proteins for heterotrimeric G proteins, 797, 806, 809, 821–22  
   mediator of transcriptional regulation and, 740, 745–46  
   protein glucosylation and folding, 75  
   two-component signal transduction and, 189  
 Calnexin/calreticulin  
   protein glucosylation and folding, 69, 77–86  
 Cancer  
   apoptosis signaling and, 217, 229–33  
   cryptochrome circadian photoreceptor and, 62  
   cyclooxygenases and, 145, 168, 171, 174  
   microtubules and, 296–97  
*Candida albicans*  
   two-component signal transduction and, 188  
 Cap-binding protein  
   mRNA decapping in *Saccharomyces cerevisiae* and, 581  
 Carbon  
   antibody catalysis and, 755–60  
 Carotenoids  
   cryptochrome circadian photoreceptor and, 35–36  
 Caspases  
   apoptosis signaling and, 217, 219–20  
 Catalysis  
   antibody  
     critical analysis of, 751–87  
   cyclooxygenases and, 145–74  
   hexameric helicases and, 673–75  
   history of research, 1, 14, 16–19, 27  
   protein splicing and, 447–93  
   protein tyrosine kinase structure and function, 373–95  
   ribozyme structures and mechanisms, 597–612  
   swinging arms and swinging domains in multifunctional enzymes, 961–97  
   two-component signal transduction and, 191–93  
   yeast homotypic vacuole fusion and, 247, 250–55  
*cat* gene  
   coupling of ORFs by translational bypassing, 351  
*Caulobacter crescentus*  
   two-component signal transduction and, 191  
 CCT hetero-oligomer  
   cytosolic chaperonin microtubules and, 279–80  
 Cdc5 protein kinase  
   regulation of chromosome replication and, 855  
 Cdc6 protein

- regulation of chromosome replication and, 856-57
- Cdc6/Cdc18 family
  - regulation of chromosome replication and, 837-39, 846-48
- Cdc7 kinase
  - regulation of chromosome replication and, 853-54
- Cdc7-Dbf4 kinase
  - regulation of chromosome replication and, 851-54
- Cdc45 protein
  - regulation of chromosome replication and, 841-42, 849-50
- Ced-4 protein
  - apoptosis signaling and, 221
- Celebrex
  - cyclooxygenases and, 146, 165
- Cell biology
  - cyclooxygenases and, 145-74
- Cell cycle
  - chromosome dynamics and, 115-39
  - microtubules and, 277-98
  - regulation of chromosome replication and, 829, 859-67
  - spindle assembly in animal cells and, 95-111
  - yeast homotypic vacuole fusion and, 268-69
- Cell death
  - apoptosis signaling and, 217-37
- Cell viability
  - protein glucosylation and folding, 87-89
- Cellular localization
  - cryptochrome circadian photoreceptor and, 52-53
- CENP proteins
  - spindle assembly in animal cells and, 109
- Central channel
  - hexameric helicases and, 665-66
- Centrioles
  - spindle assembly in animal cells and, 97
- Centromeres
  - chromosome dynamics and, 122-25
- Centrosomes
  - spindle assembly in animal cells and, 95-111
- Ceramide
  - cyclooxygenases and, 170
- c-fos* gene
  - cyclooxygenases and, 166
- Chaperones
  - protein glucosylation and folding, 69-89
  - yeast homotypic vacuole fusion and, 247-70
- Chaperonins
  - microtubules and, 279-80
- Checkpoints
  - regulation of chromosome replication and, 829, 858-69
- Chemical ligation
  - native protein synthesis and, 923-57
- Chemical protein synthesis
  - native proteins and
    - backbone engineering, 946
    - biochemical peptide ligation, 935-39
    - building blocks of the protein world, 925
    - case studies, 944-49
    - chemical synthesis of peptide segments, 956
    - conclusions, 956-57
    - conformationally assisted ligation, 938-39
    - current developments, 949-54
    - domains, 925
    - expressed protein ligation, 949-50
    - folding synthetic proteins, 940-44
    - future developments, 954-56
    - glycoprotein synthesis, 953-54
    - introduction, 924-25
    - ligation sites, 954-55
    - membrane proteins, 951-53
    - native chemical ligation, 933-35
    - noncoded amino acids, 944-45
    - precise covalent modification, 945
    - protein medicinal chemistry, 946-47
    - protein science in the postgenome era, 924-25
    - protein splicing, 935-38
    - rapid access to functional gene products, 947-49
    - scope, 939-40
    - site-specific tagged proteins, 945-46
    - size of protein targets, 955-56
    - solid-phase protein synthesis, 950-51
    - state of the art in 1990, 926
    - structural biology, 947-49
    - summary, 956-57
    - synthetic-peptide chemistry, 926-29
    - unprotected peptide segments, 929-33
- Chicken *bc*<sub>1</sub> complex
  - cytochrome *bc* complexes

- and, 1017-19
- Chlamydia trachomatis*  
aminoacyl-tRNA synthesis  
and, 639
- Chlamydomonas reinhardtii*  
cryptochrome circadian  
photoreceptor and, 42  
mRNA decapping in  
*Saccharomyces cerevisiae*  
and, 574
- Chlorophylls  
cryptochrome circadian  
photoreceptor and, 36
- Chloroplasts  
cytochrome *bc* complexes  
and, 1005, 1055-56
- Chorismate rearrangement  
antibody catalysis and,  
755-60
- Chromatophores  
history of research, 1
- Chromosome dynamics  
anaphase-promoting  
complex/cyclosome, 135  
*bimD*, 122  
CLiP protein, 125  
cohesin cleavage in sister  
chromatid separation,  
137-38  
cohesin complex  
components, 117  
mechanisms, 117-18  
meiosis, 119  
miscellaneous  
chromosome functions,  
118-19  
cohesion and cohesion  
factors at centromeres,  
122-25  
conclusions, 138-39  
condensation, 126-35  
condensin complex  
biochemical  
identification, 128-29  
genetics, 129  
mechanism, 129-32  
regulation, 132
- coupling of compaction  
and resolution of sister  
chromatids, 132-35  
*ctf7*, 121  
*ecoI*, 121  
Esp1/Cut1/separin, 136  
histone modifications  
histone H1  
phosphorylation,  
127-28  
histone H2  
phosphorylation,  
127-28  
miscellaneous histone  
modifications, 128  
INCENP protein, 125  
introduction, 116  
MEI-S332 protein, 124-25  
*mis4*, 120-21  
*mis6*, 125  
*mis12*, 125  
noncohesin components,  
119-22  
ORD protein, 124-25  
Pds1/Cut2/securin, 136  
*pimples*, 137  
protein- and  
DNA-mediated linkage  
between sister  
chromatids, 126  
*scc2*, 120-21  
sister chromatids  
cohesin cleavage in  
sister chromatid  
separation, 137-38  
cohesion, 116-26  
coupling of compaction  
and resolution, 132-35  
protein- and  
DNA-mediated linkage  
between, 126  
separation, 135-38  
Spo76 protein, 122  
*sud*, 122  
*three row*, 137  
*trf4*, 121-22  
*trf5*, 121-22
- Chromosome replication  
regulation of  
activation of initiation  
complexes, 845-55  
assembly of initiation  
complexes at  
replication origins,  
842-45  
Cdc5, 855  
Cdc6, 856-57  
Cdc6/Cdc18, 837-39,  
846-48  
Cdc7, 853-54  
Cdc7-Dbf4 kinase,  
851-54  
Cdc45, 841-42, 849-50  
checkpoint response to  
DNA damage in S  
phase, 865-67  
checkpoint response to  
inhibition of DNA  
synthesis, 859-65  
conclusions, 870  
cyclin-dependent  
kinases, 846-51,  
856-58  
DNA polymerase  
 $\alpha$ /primase, 850  
initiation complexes,  
845-55  
introduction, 830-31  
mammalian replication  
checkpoints, 867-69  
minichromosome  
maintenance proteins,  
839-41, 848-49,  
853-54, 858  
origin binding, 833-36  
origin recognition  
complex, 833-37, 849  
origins of replication,  
831-32, 842-45  
phosphorylation,  
853-54, 856-57  
protein components of  
initiation reaction,  
832-42



- protein kinase A, 854  
 protein phosphatase 2A, 855  
 reinitiation block, 855-58  
 replication checkpoints, 858-69  
 replication in vitro, 869-70  
 replication protein A, 850-51  
**Circadian blind mice**  
   cryptochrome circadian photoreceptor and, 31-63  
**cis-acting signals**  
   mRNA decapping in *Saccharomyces cerevisiae* and, 582-84  
**Cisplatin**  
   aminoacyl-tRNA synthesis and, 641  
**cis-regulatory elements**  
   cyclooxygenases and, 172-74  
   cis-SNARE complexes  
     yeast homotypic vacuole fusion and, 247-71  
**Claisen rearrangement**  
   antibody catalysis and, 755-60  
**Class I cytochromes**  
   cytochrome *bc* complexes and, 1034-35  
**Clathrin**  
   adaptors, 714-15  
   AP complexes, 714  
   arrestins and, 714-15  
   atomic structure, 708-11  
   autophagy, CVT pathway, and pexophagy, 322  
   basic architecture of clathrin coat, 701-3  
   cellular formation of coated vesicles, 718-21  
   coat formation in vitro, 715-18  
   coated vesicles, 701-3, 718-21  
   future research, 723  
   heavy-chain sequences, 707-11  
   initiation, 718-20  
   introduction, 700-1  
   lattice, 711-13  
   light-chain sequences, 708  
   membrane budding, 721-22  
   molecular organization, 703-6  
   molecular structure, 711-13  
   propagation, 720-21  
   protein networks, 722-23  
   structure, 703-6  
   summary, 723  
   uncoating, 722  
   vesicle detachment, 721-22  
**Cleavage**  
   cohesin  
     chromosome dynamics and, 137-38  
   protein splicing and, 447-93  
**CLIP proteins**  
   chromosome dynamics and, 125  
   spindle assembly in animal cells and, 109  
**CLOCK gene**  
   cryptochrome circadian photoreceptor and, 31, 50, 53-54, 56, 58-60, 62  
**Cloning**  
   history of research, 19-21  
   platelet-activating factor and related lipid mediators, 419-41  
**cml gene**  
   coupling of ORFs by translational bypassing, 351  
**c-myc gene**  
   apoptosis signaling and, 230  
   cyclooxygenases and, 166  
**Coated vesicles**  
   clathrin and, 699, 701-21  
**Cofactors**  
   microtubules and, 279-80  
**Cohesin**  
   chromosome dynamics and, 115, 117-19  
**Cohesion**  
   chromosome dynamics and, 115-25  
**Colchicine**  
   microtubules and, 296-97  
**Colon cancer**  
   cyclooxygenases and, 145, 168, 174  
**Compaction**  
   sister chromatid  
     chromosome dynamics and, 132-35  
**Concanavalin A**  
   protein glucosylation and folding, 75  
**Condensation**  
   chromosome dynamics and, 126-35  
**Condensin complex**  
   biochemical identification  
     chromosome dynamics and, 115, 128-32  
**Conformational changes**  
   DNA replication fidelity and, 497-523  
   history of research, 1, 10, 15  
   influenza hemagglutinin and, 549-51  
**Conformationally-assisted ligation**  
   chemical protein synthesis and, 938-39  
**Congression**  
   spindle assembly in animal cells and, 108  
**Conjugation**  
   autophagy, CVT pathway,

- and pexophagy, 303, 315-16
- protein splicing and, 447-93
- Conserved domains
  - GTPase-activating proteins for heterotrimeric G proteins, 803
- Conserved residues
  - cytochrome *bc* complexes and, 1005-67
- Convergent evolution
  - protein splicing and, 447-93
- Cooperativity
  - observed
    - hexameric helicases and, 651-91
- Coprinus cinereus*
  - chromosome dynamics and, 120
- Copy DNA (cDNA)
  - platelet-activating factor and related lipid mediators, 419-41
- Corticosteroids
  - apoptosis signaling and, 226
- Coupling
  - open reading frame
    - by translational bypassing, 343-69
- Coupling ratio
  - hexameric helicases and, 681
- Covalently-attached
  - prosthetic groups
    - swinging arms and swinging domains in multifunctional enzymes, 961-97
- Covalent modification
  - GTPase-activating proteins for heterotrimeric G proteins, 815-16
- COX-1/COX-2
  - cyclooxygenases
    - overview, 145-74
- Cross talk
  - history of research, 19
- CRY1/CRY2* genes
  - cryptochrome circadian photoreceptor and, 31, 42-43, 48-60, 62
- Cryomicroscopy
  - clathrin and, 699-723
- Cryptochrome circadian
  - photoreceptor
    - action spectra, 43-44
    - anatomy of mammalian circadian system, 46-47
    - bilins, 36
    - biochemical properties, 48-49
    - breast cancer and circadian clock, 62
    - carotenoids, 35-36
    - cellular localization, 52-53
    - chlorophylls, 36
    - circadian oscillation of cryptochrome expression, 51-52
    - circadian photoreceptors, 43-46
    - circadian rhythms, 33-35
    - CLOCK proteins, 53-54
    - conclusions, 62-63
    - Cry* knockout mice, 54-57
    - delayed sleep phase syndrome, 61
    - flavins, 36-37
    - genetic analysis, 44-45, 54-58
    - historical perspective, 32-33
    - human health, 60-61
    - jet lag, 61
    - mammalian
      - cryptochromes, 54-58
      - miscellaneous potential photoactive pigments, 37
      - molecular clock in *Cry* knockout mice, 56-57
      - molecular model for mammalian circadian clock, 56-57, 59
    - opsins, 45-46
    - phenotype of *Cry* knockout mice, 54-56
    - photoactive pigments, 35
    - photolyase, 40-41
    - photoreceptors, 35-46
    - photosynthetic system, 38
    - phototropin, 38, 40
    - physical properties, 48-49
    - phytochrome, 38
    - pterins, 37
    - rhodopsin, 37-38
    - rotating shift work, 61
    - seasonal affective disorder, 60
    - structure and function of mammalian
      - cryptochromes, 48-54
      - syndrome of rapid change in time zone, 61
- Cryptophycin-52
  - microtubules and, 296
- CSE2 gene
  - mediator of transcriptional regulation and, 743
- C-terminal domain
  - apoptosis signaling and, 221
  - clathrin and, 706, 708-9, 714
  - mediator of transcriptional regulation and, 729-47
  - two-component signal transduction and, 192, 197
- ctf7* gene
  - chromosome dynamics and, 121
- Cvt proteins
  - autophagy, CVT pathway, and pexophagy, 314-15, 317, 322
- cyan* gene
  - two-component signal transduction and, 197,

- 201
- Cyanobacteria  
 cryptochrome circadian photoreceptor and, 37, 46  
 cytochrome *bc* complexes and, 1005–67
- Cyclic adenosine monophosphate (cAMP)  
 autophagy, CVT pathway, and pexophagy, 327
- Cyclic GMP  
 phosphodiesterase  
 GTPase-activating proteins for heterotrimeric G proteins, 811
- Cyclin-dependent kinases  
 regulation of chromosome replication and, 846–51, 856–58
- Cyclins  
 chromosome dynamics and, 135
- Cycloadditions  
 antibody catalysis and, 761–66
- Cyclooxygenases  
*cis*-regulatory elements in transcriptional control of PGHS-2 gene expression, 172–74  
 cyclooxygenase catalysis and inhibition  
 active site structure, 155–56, 158  
 COX-2 inhibitors, 159–61  
 cyclooxygenase kinetics, 158–59  
 NSAIDs, 159–61  
 similarities and differences between PGHS-1 and -2, 155  
 substrate positioning and turnover in cyclooxygenase site, 157  
 time-dependent inhibition, 161  
 future research, 174  
 growth factors and, 171–72  
 interleukin-1, 170–71  
 introduction, 146  
 lipopolysaccharide, 169–70  
 MAPK signaling pathways and, 167  
 NF $\kappa$ B signaling pathway, 167  
 oncogenes and, 171–72  
 peroxidase catalysis  
 active site structure, 152  
 kinetics, 155  
 peroxidase kinetics, 154  
 substrate specificities, 152–54  
 PGHS structure and catalysis  
 peroxidase and cyclooxygenase catalysis, 147–50  
 PGHS structure, 151–52  
 suicide inactivation, 150  
 separate biosynthetic and signaling pathways for PGHS-1 and PGHS-2  
 phospholipase coupling, 163–64  
 segregated signaling, 162–63  
 terminal prostaglandin synthases, 165  
 separate regulation of PGHS-1 expression, 165–66  
 separate regulation of PGHS-2 expression, 166–74  
 signal transduction pathways linked to transcriptional activation of PGHS-2 gene, 167
- Cyclosome  
 chromosome dynamics and, 135
- Cysteine  
 aminoacyl-tRNA synthesis and, 622, 630–31, 634, 637, 642  
 GTPase-activating proteins for heterotrimeric G proteins, 806, 813  
 helical membrane protein folding, stability, and evolution, 896
- Cysteine proteases  
 apoptosis signaling and, 217–37
- Cytochrome *b*  
 cytochrome *bc* complexes and, 1027–34, 1059, 1060–64
- Cytochrome *b<sub>6</sub>*  
 cytochrome *bc* complexes and, 1040, 1055–56
- Cytochrome *b<sub>6</sub>f* complex  
 cytochrome *bc* complexes and, 1039–42
- Cytochrome *bc* complexes  
 activation barriers, 1052–53  
*b<sub>6</sub>f* complex subunits, 1039–42  
*b<sub>6</sub>f* Rieske ISP, 1040  
 biophysical aspects of ISP head movement, 1049–51  
 chloroplasts, 1009–10  
 comparison of different X-ray structures, 1020–22  
 “core” proteins are peripheral, 1027  
 current knowledge, 1067  
 cyanobacteria, 1009–10  
 cyt *b* subunit phylogeny, 1059–64  
 cyt *b<sub>6</sub>* and subunit IV, 1040  
 cyt *c* subunit phylogeny, 1065–67  
 cyt *c<sub>1</sub>* as class I cytochrome, 1034–35  
 cyt *f*, 1041–42  
 diffraction-quality 3-D crystals of vertebrate *bc<sub>1</sub>*

complex, 1012-13  
 diversity, 1007-8  
 electron transfer between monomers, 1058  
 evolution, 1058-67  
 function, 1007-8  
 future research, 1067  
 higher-resolution structure of yeast *bc<sub>1</sub>* complex, 1019  
 individual protein subunits of cytochrome *bc<sub>1</sub>* complex, 1022-39  
 macroscopic 3-D crystals in needle habit, 1012  
 mechanistic investigations, 1042-58  
 metazoan complexes with 10 or 11 subunits, 1024-26  
 mobile redox center, 1035-37  
 modified Q-cycle, 1042-44  
 monoclinic, tetragonal, and hexagonal crystals of bovine *bc<sub>1</sub>* complex from Osaka/Himeji, 1017  
 mutational studies of ISP head movement, 1048-49  
 mutations affecting inhibitor binding or function at Q sites, 1047-48  
 orthorhombic chicken *bc<sub>1</sub>* crystals from Berkeley, 1017-19  
 pH dependence, 1054  
 phylogeny, 1058-67  
 predictions of fold and heme ligation of cytochrome *b* preceded X-ray structures, 1027-34  
 purification, 1008-10  
 Q<sub>0</sub> site, 1045-47, 1051-52  
 quinol oxidation, 1045-47, 1052-55  
 quinone reduction at Q<sub>i</sub>

site, 1056-58  
 Rieske iron-sulfur protein, 1035-37, 1040, 1048-51, 1064-65  
 simple complexes, 1022-24  
 small subunits of *bc<sub>1</sub>* complex, 1038-39  
 structural studies, 1010-22  
 subunit IV, 1040  
 tetragonal and two hexagonal crystal forms of bovine *bc<sub>1</sub>* from Berkeley/Uppsala, 1019  
 tetragonal crystals of bovine *bc<sub>1</sub>* complex from Stillwater/Dallas, 1013-16  
 three-dimensional microcrystals of mitochondrial cytochrome *bc<sub>1</sub>*, 1012  
 three redox-active subunits with no or one supernumerary subunits, 1022-24  
 three-dimensional crystals of extrinsic domains, 1011-12  
 two-dimensional crystals and electron microscopy studies, 1010-11  
 uncoupling of bifurcated reduction of cyt *f* and cyt *b<sub>6</sub>* in chloroplasts, 1055-56  
 Cytochrome *c* cytochrome *bc* complexes and, 1065-67  
 Cytochrome *c<sub>1</sub>* cytochrome *bc* complexes and, 1034-35  
 Cytochrome *f* cytochrome *bc* complexes and, 1041-42  
 Cytoplasm autophagy, CVT pathway,

and pexophagy, 303-37  
 Cytoplasmic domains protein tyrosine kinase structure and function, 387-92  
 Cytoplasm-to-vacuole (CVT) pathway autophagy, CVT pathway, and pexophagy, 303-11, 329-32, 337  
 Cytoskeleton autophagy, CVT pathway, and pexophagy, 320-22, 328  
 microtubules and, 277-98  
 Cytosol microtubules and, 279-80

## D

DCP proteins mRNA decapping in *Saccharomyces cerevisiae* and, 571, 575-79  
 Deadenylation rate mRNA decapping in *Saccharomyces cerevisiae* and, 581-82  
 Death receptors apoptosis signaling and, 217-37  
 Decapping mRNA *Saccharomyces cerevisiae* and, 571-92  
 Decay mRNA decapping in *Saccharomyces cerevisiae* and, 571-92  
 Decoding coupling of ORFs by translational bypassing, 343-69  
 Degenerative disorders apoptosis signaling and, 217-37  
 Deglucosylation protein glucosylation and

- folding, 69–89
- Degradation  
 autophagy, CVT pathway, and pexophagy, 303–37  
 mRNA decapping in *Saccharomyces cerevisiae* and, 571–92  
 peroxisomal matrix and membrane protein import, 399–14  
 platelet-activating factor and related lipid mediators, 419, 433–41  
 protein glucosylation and folding, 69–89
- Deinococcus radiodurans*  
 aminoacyl-tRNA synthesis and, 638–39
- Delayed sleep phase syndrome  
 cryptochrome circadian photoreceptor and, 31, 61
- Deletion/addition intermediates  
 DNA replication fidelity and, 518–19
- Deletion mutants  
 hexameric helicases and, 690–91
- Deletion of helices  
 protein folding, stability, and evolution, 909–10
- Deoxycholate  
 protein glucosylation and folding, 83
- Dephosphorylation  
 two-component signal transduction and, 205
- Destabilizers  
 microtubules and, 294
- Detachment  
 vesicle  
 clathrin and, 721–22
- Dethiobiotin  
 swinging arms and swinging domains in multifunctional enzymes, 963
- Development  
 apoptosis signaling and, 217–37
- Dictyostelium discoideum*  
 clathrin and, 707  
 GTPase-activating proteins for heterotrimeric G proteins, 799  
 two-component signal transduction and, 188, 196, 204
- Diels-Alder reactions  
 antibody catalysis and, 761–65, 773, 783–85, 787
- Diffraction  
 cytochrome *bc* complexes and, 1012–13
- $\beta$ -Diketone  
 antibody catalysis and, 778–79
- Dimerization  
 apoptosis signaling and, 224  
 helical membrane protein folding, stability, and evolution, 903, 906  
 microtubules and, 279–82, 289  
 protein tyrosine kinase structure and function, 380–81  
 two-component signal transduction and, 192, 194
- Dinitroaniline herbicides  
 microtubules and, 296
- Dipoles  
 helix  
 helical membrane protein folding, stability, and evolution, 899
- Disassembly  
 yeast homotypic vacuole fusion and, 247, 270
- Discodermolide  
 microtubules and, 297
- Disease  
 apoptosis signaling and, 217, 229–33  
 cryptochrome circadian photoreceptor and, 30, 60–61
- DNA replication fidelity and, 497–523  
 peroxisomal matrix and membrane protein import, 399–414
- Disulfide bonds  
 protein glucosylation and folding, 84–85
- Diversity  
 aminoacyl-tRNA synthesis and, 639–40  
 cytochrome *bc* complexes and, 1005–67  
 helical membrane protein folding, stability, and evolution, 893
- DNA binding  
 hexameric helicases and, 651, 663–90
- DnaB protein  
 hexameric helicases and, 661, 671, 683–84
- DNA degradation  
 apoptosis signaling and, 217–37
- DNA exclusion model  
 hexameric helicases and, 651, 669–70
- DNA-mediated linkage  
 chromosome dynamics and, 126
- DNA polymerase  
 DNA replication fidelity and, 497–523
- DNA polymerase  $\alpha$ /primase  
 regulation of chromosome replication and, 850
- DNA repair enzyme  
 cryptochrome circadian photoreceptor and, 31,

- 40-41
- DNA replication fidelity  
 accessory proteins, 519  
 antimutator polymerases,  
 501-6  
 base substitution fidelity,  
 498-513  
 conclusions, 523  
 DNA polymerase structure,  
 499-501  
 duplex DNA, 508-10  
 exonucleolytic  
 proofreading, 510-13  
 geometric selection,  
 499-508  
 induced fit, 499, 500-8  
 initiating slippage, 515-17  
 insertion fidelity, 499-508  
 introduction, 498  
 mismatch extension and  
 polymerase interactions  
 with duplex DNA, 508-10  
 multiprotein replication  
 complexes, 520-21  
 mutator polymerases,  
 501-6  
 overview, 521  
 probing hydrogen bonding  
 and geometry with base  
 analogs, 506-8  
 proofreading of  
 deletion/addition  
 intermediates, 518-19  
 replication errors involving  
 strand misalignments,  
 513-19  
 template-primer slippage,  
 513-15  
 translesion synthesis by  
 specialized DNA  
 polymerases, 522-23
- DNA synthesis  
 regulation of chromosome  
 replication and, 859-65
- DNA unwinding models  
 hexameric helicases and,  
 681-83
- Docking  
 yeast homotypic vacuole  
 fusion and, 247, 258-59
- Dolichol  
 protein glucosylation and  
 folding, 71-72, 88
- Domains  
 chemical protein synthesis  
 and, 925  
 GTPase-activating proteins  
 for heterotrimeric G  
 proteins, 795-822  
 protein tyrosine kinase  
 structure and function,  
 383-92  
 swinging arms and  
 swinging domains in  
 multifunctional enzymes,  
 961-97
- Downstream signaling  
 proteins  
 protein tyrosine kinase  
 structure and function,  
 373-95
- Drosophila melanogaster*  
 apoptosis signaling and,  
 219  
 chromosome dynamics  
 and, 121, 124-25, 137-38  
 cryptochrome circadian  
 photoreceptor and, 31, 33,  
 40-41, 43-44, 46, 48, 58  
 clathrin and, 707, 720  
 GTPase-activating proteins  
 for heterotrimeric G  
 proteins, 809  
 microtubules and, 289  
 protein glucosylation and  
 folding, 73, 75, 81  
 regulation of chromosome  
 replication and, 832-33,  
 835-37, 856  
 yeast homotypic vacuole  
 fusion and, 266-68
- Drugs  
 microtubules and, 277-98
- Duplex DNA
- DNA replication fidelity  
 and, 508-10
- Dynactin  
 spindle assembly in animal  
 cells and, 97, 102
- Dynamic instability  
 microtubules and, 277,  
 286-88, 298
- Dynamin  
 clathrin and, 702-3, 720
- Dynein  
 microtubules and, 293-94  
 spindle assembly in animal  
 cells and, 97, 102-3,  
 105-6, 109
- E**
- IE9 active site  
 antibody catalysis and,  
 762, 764-66
- E1 protein  
 papillomavirus  
 hexameric helicases and,  
 662-63
- Early sequestration  
 autophagy, CVT pathway,  
 and pexophagy, 333-34
- ecol* gene  
 chromosome dynamics  
 and, 121
- Editing  
 extrinsic  
 aminoacyl-tRNA  
 synthesis and, 617, 631
- Effective molarity  
 antibody catalysis and, 761
- Effector domain  
 two-component signal  
 transduction and, 198-99
- Effector proteins  
 GTPase-activating proteins  
 for heterotrimeric G  
 proteins, 795, 809-12
- egl* genes  
 apoptosis signaling and,  
 228, 235
- GTPase-activating proteins

- for heterotrimeric G proteins, 821
- Elbow region
  - coupling of ORFs by translational bypassing, 366
- Electromagnetic signal
  - cryptochrome circadian photoreceptor and, 31-63
- Electron cryomicroscopy
  - clathrin and, 699-723
- Electron crystallography
  - microtubules and, 281-82
- Electron microscopy
  - cytochrome *bc* complexes and, 1010-22
- Electron transfer
  - cytochrome *bc* complexes and, 1005-67
- Electrostatic catalysis
  - antibody catalysis and, 769-76
- Eleutherobin
  - microtubules and, 297
- End subunits
  - microtubules and, 286-87
- Endocytosis
  - clathrin and, 699-723
- Endonucleases
  - protein splicing and, 488-90
- Endoperoxide H synthases
  - prostaglandin cyclooxygenases and, 145-74
- Endoplasmic reticulum
  - peroxisomal matrix and membrane protein import, 399-414
  - protein glucosylation and folding, 69-89
  - yeast homotypic vacuole fusion and, 265-66, 269
- Endosomes
  - autophagy, CVT pathway, and pexophagy, 316-17
  - mammalian early yeast homotypic vacuole fusion and, 264-65
- Energy transduction
  - hexameric helicases and, 651-91
- Enterococcus faecalis*
  - two-component signal transduction and, 206
- Environmental photic input
  - cryptochrome circadian photoreceptor and, 35-43
- Environmental stimuli
  - two-component signal transduction and, 183-207
- Enzyme growth factor receptor
  - protein tyrosine kinase structure and function, 373-95
- Enzymes
  - aminoacyl-tRNA synthesis and, 620-40
  - antibody catalysis and, 751-87
  - autophagy, CVT pathway, and pexophagy, 303-37
  - DNA replication fidelity and, 497-523
  - history of research, 22-23
  - mRNA decapping in *Saccharomyces cerevisiae* and, 571, 575-79
  - platelet-activating factor and related lipid mediators, 419, 433-41
  - protein splicing and, 447-93
  - protein tyrosine kinase structure and function, 373-95
  - regulation of chromosome replication and, 829-70
  - swinging arms and swinging domains in multifunctional enzymes, 961-97
- Epidemics
  - influenza hemagglutinin and, 531-63
- Epithelones
  - antibody catalysis and, 780
  - microtubules and, 297
- Escherichia coli*
  - aminoacyl-tRNA synthesis and, 619, 622, 628, 635-37
  - antibody catalysis and, 758
  - clathrin and, 709
  - coupling of ORFs by translational bypassing, 346, 351, 359, 366, 368
  - cryptochrome circadian photoreceptor and, 33, 48-49
  - DNA replication fidelity and, 512
  - hexameric helicases and, 651-91
  - history of research, 1
  - influenza hemagglutinin and, 551
  - microtubules and, 288
  - regulation of chromosome replication and, 845
  - swinging arms and swinging domains in multifunctional enzymes, 963
  - two-component signal transduction and, 189-91, 193-94, 196-97, 202
  - yeast homotypic vacuole fusion and, 263
- Esp1/Cut1/separin
  - chromosome dynamics and, 136
- Eukaryotes
  - chromosome dynamics and, 115-39
  - hexameric helicases and, 651-91
  - mediator of transcriptional regulation and, 729-47

- microtubules and, 277-98  
mRNA decapping in  
  *Saccharomyces cerevisiae*  
  and, 571-92  
regulation of chromosome  
  replication and, 829-70  
two-component signal  
  transduction and, 183,  
  188-89
- Eukaryotic viral helicases  
  hexameric helicases and,  
  662-63
- Euplotes focardii*  
  microtubules and, 291
- Evolution  
  aminoacyl-tRNA synthesis  
  and, 617, 632, 639-40  
  antibody catalysis and,  
  751-87  
  cryptochrome circadian  
  photoreceptor and, 31-63  
  cytochrome *bc* complexes  
  and, 1058-67  
  DNA replication fidelity  
  and, 497-23  
  helical membrane protein  
  folding, stability, and  
  evolution, 911-15  
  influenza hemagglutinin  
  and, 531-39, 561-63  
  protein splicing and,  
  447-93
- Exocytosis  
  yeast homotypic vacuole  
  fusion and, 266
- Exonucleolytic proofreading  
  DNA replication fidelity  
  and, 497, 510-13
- Expressed protein ligation  
  chemical protein synthesis  
  and, 949-50  
  protein splicing and,  
  472-74
- Extensins  
  protein splicing and,  
  447-93
- Extrinsic domains  
  cytochrome *bc* complexes  
  and, 1011-12
- Eye  
  photoactive pigment and,  
  31-63
- F**
- IF7 Fab fragment  
  antibody catalysis and, 760
- F1-ATPase  
  hexameric helicases and,  
  683-84
- Feedback inhibition  
  GTPase-activating proteins  
  for heterotrimeric G  
  proteins, 795-22
- Ferrochelatase mimics  
  antibody catalysis and,  
  766-69
- Fever  
  cyclooxygenases and, 145
- Fidelity  
  DNA replication and,  
  497-23
- Flanking sequences  
  GTPase-activating proteins  
  for heterotrimeric G  
  proteins, 803  
  protein splicing and,  
  447-93
- Flavins  
  cryptochrome circadian  
  photoreceptor and, 31,  
  36-37
- Flavoproteins  
  cryptochrome circadian  
  photoreceptor and, 31-63
- Flipping  
  helical  
  helical membrane  
  protein folding,  
  stability, and evolution,  
  909-10, 913
- FLIP proteins  
  apoptosis signaling and,  
  233
- Flurbiprofen  
  cyclooxygenases and, 148,  
  159-61
- Folate  
  cryptochrome circadian  
  photoreceptor and, 36
- Fold-assisting proteins  
  protein glucosylation and  
  folding, 76-77
- Folding cofactors  
  microtubules and, 279-80
- Formamide  
  ribozyme structures and  
  mechanisms, 603
- Formylmethionyl-tRNA  
  synthesis  
  aminoacyl-tRNA synthesis  
  and, 634-35
- Frameshifts  
  coupling of ORFs by  
  translational bypassing,  
  352  
  DNA replication fidelity  
  and, 497-523
- Fraud  
  academic, 24
- Free energy  
  cytochrome *bc* complexes  
  and, 1005-67  
  refolding  
  influenza hemagglutinin  
  and, 558-60
- FtsZ protein  
  microtubules and, 282-83
- Fullerenes  
  clathrin and, 703
- Functional gene products  
  chemical protein synthesis  
  and, 947, 949
- Functional groups  
  antibody catalysis and,  
  776-81
- Fungi  
  chromosome dynamics  
  and, 120, 122  
  cryptochrome circadian  
  photoreceptor and, 33  
  GTPase-activating proteins



for heterotrimeric G proteins, 795-822  
 hexameric helicases and, 663  
 protein glucosylation and folding, 73, 75-76, 83, 87-88  
 spindle assembly in animal cells and, 106, 110  
 two-component signal transduction and, 188  
**Furanomycin**  
 aminoacyl-tRNA synthesis and, 641  
**Fused integral membrane proteins**  
 helical membrane protein folding, stability, and evolution, 911-13  
**Fusion**  
 autophagy, CVT pathway, and pexophagy, 303-37  
 viral  
     influenza hemagglutinin and, 531-63  
 yeast homotypic vacuole fusion and, 247-70

## G

**G $\beta\gamma$  subunits**  
 GTPase-activating proteins for heterotrimeric G proteins, 817-18  
**G $\beta 5$  subunit**  
 GTPase-activating proteins for heterotrimeric G proteins, 818-19  
**G1 phase**  
 cell cycle  
     spindle assembly in animal cells and, 98-99  
**G2 phase**  
 cell cycle  
     chromosome dynamics and, 115-39  
     spindle assembly in animal cells and,

98-99, 106  
**GALI gene**  
 mediator of transcriptional regulation and, 741-43  
**gat genes**  
 aminoacyl-tRNA synthesis and, 637-39  
**Gating**  
 GTPase-activating proteins for heterotrimeric G proteins, 819-21  
**Genetic engineering**  
 antibody catalysis and, 785  
 chemical protein synthesis and, 923-57  
**Genetics**  
 aminoacyl-tRNA synthesis and, 617-42  
 autophagy, CVT pathway, and pexophagy, 303-37  
 chromosome dynamics and, 115-39  
 coupling of ORFs by translational bypassing, 343-69  
 cryptochrome circadian photoreceptor and, 31-63  
 cyclooxygenases and, 145-74  
 DNA replication fidelity and, 497-523  
 GTPase-activating proteins for heterotrimeric G proteins, 795-822  
 hexameric helicases and, 651-91  
 history of research, 19-21  
 mediator of transcriptional regulation and, 729-47  
 microtubules and, 277-98  
 mRNA decapping in *Saccharomyces cerevisiae* and, 571-92  
 peroxisomal matrix and membrane protein import, 399-414  
 platelet-activating factor

and related lipid mediators, 419-41  
 protein tyrosine kinase structure and function, 373-95  
 regulation of chromosome replication and, 829-70  
 spindle assembly in animal cells and, 95-111  
 swinging arms and swinging domains in multifunctional enzymes, 961-97  
 two-component signal transduction and, 183-207  
 yeast homotypic vacuole fusion and, 247-70  
**Genome stability**  
 DNA replication fidelity and, 497-523  
**Geometric selection**  
 DNA replication fidelity and, 497, 499-508  
**GGL domain**  
 GTPase-activating proteins for heterotrimeric G proteins, 817  
**Giardia lamblia**  
 microtubules and, 292  
**Glucose**  
 protein glucosylation and folding, 69-89  
**Glucosidase II**  
 protein glucosylation and folding, 69-89  
**Glucosylation**  
 protein  
     protein folding and, 69-89  
**Glutamate**  
 aminoacyl-tRNA synthesis and, 621, 624, 628, 632-34, 636-40  
 antibody catalysis and, 777  
 cyclooxygenases and, 153-54, 161

- GTPase-activating proteins for heterotrimeric G proteins, 813
- Glutamine  
aminoacyl-tRNA synthesis and, 621-24, 627-28, 630-33, 636-640  
antibody catalysis and, 758, 775  
cyclooxygenases and, 156
- Glycine  
aminoacyl-tRNA synthesis and, 622  
antibody catalysis and, 771  
clathrin and, 708  
coupling of ORFs by translational bypassing, 366-67  
cyclooxygenases and, 157-58  
GTPase-activating proteins for heterotrimeric G proteins, 806  
helical membrane protein folding, stability, and evolution, 898  
microtubules and, 282
- Glycine cleavage system  
swinging arms and swinging domains in multifunctional enzymes, 979-80
- Glycophorin  
helical membrane protein folding, stability, and evolution, 898, 903, 906
- Glycoproteins  
chemical protein synthesis and, 953-54  
viral  
influenza hemagglutinin and, 531-63
- Glycosylasparaginases  
protein splicing and, 447, 479-84
- Golgi complex  
yeast homotypic vacuole fusion and, 265-66, 268-69
- Gonylaux polyhedra*  
cryptochrome circadian photoreceptor and, 46
- gp4 protein  
hexameric helicases and, 651, 660
- G proteins  
clathrin and, 720  
heterotrimeric  
GTPase-activating proteins for, 795-822  
microtubules and, 295
- Granaticin  
aminoacyl-tRNA synthesis and, 641
- Grant request  
probability of being funded, 26
- GRASP program  
clathrin and, 716
- Group I intron  
ribozyme structures and mechanisms, 597
- Growth factors  
cyclooxygenases and, 163, 166, 170-72  
protein tyrosine kinase structure and function, 373-95
- GTPase-activating proteins for heterotrimeric G proteins  
*Caenorhabditis elegans*, 821-22  
cellular binding partners of RGS proteins, 816-17  
cellular regulation by RGS proteins, 821-22  
cGMP  
phosphodiesterase, 811  
conserved domains in RGS-flanking regions, 803  
covalent modification of RGS proteins and their  $G\alpha$  targets, 815-16  
effector proteins as GAPs, 811-12  
 $G\beta$ -RGS interaction model, 819-21  
 $G\beta\gamma$ -gated  $K^+$  channels, 819-21  
 $G\beta\gamma$  inhibits GAP activity in single-turnover assays, 818  
 $G\beta 5$ , 818-19  
GGL domain, 817-18  
G protein effectors as GAPs, 809-12  
introduction, 796-98  
mechanism and consequences of G protein GAP activity, 803-9  
signal, 812-14  
phylogenetic relationships of RGS proteins, 799-803  
PLC- $\beta$ , 809-10  
receptor-selective activities of RGS proteins, 814  
regulation by  $G\beta\gamma$  subunits and a GGL domain, 817  
regulation of RGS protein synthesis and accumulation, 814-15  
regulation of RGS proteins, 814-17  
regulatory consequences of GAP action, 806-9  
RGS- $G\alpha$  selectivity in cells, 813-14  
Rho GEFs, 810-11  
selective association of RGS proteins with  $G\beta 5$ , 818-19  
selectivity in vitro, 812-13

- structural relationships  
of RGS proteins,  
799–803
- GTPases  
yeast homotypic vacuole  
fusion and, 247–70
- GTP cap  
microtubules and, 286–88
- GTP-binding proteins  
autophagy, CVT pathway,  
and pexophagy, 327–28
- GTPase-activating proteins  
for heterotrimeric G  
proteins, 795–822
- Guanosine triphosphate  
(GTP)  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 795–822
- GyrA protein  
protein splicing and,  
461–63
- H**
- Haemophilus influenzae*  
aminoacyl-tRNA synthesis  
and, 641  
two-component signal  
transduction and, 188
- Hairpin ribozyme  
ribozyme structures and  
mechanisms, 597, 605–6
- Halobacteria* spp  
cryptochrome circadian  
photoreceptor and, 35
- Hammerhead ribozyme  
ribozyme structures and  
mechanisms, 597, 600–3
- Hansenula polymorpha*  
peroxisomal matrix and  
membrane protein import,  
403–4, 410
- Haptens  
antibody catalysis and,  
751–87
- Heavy-chain sequences  
clathrin and, 707–11
- Hedgehog proteins  
protein splicing and,  
477–79, 490–91
- Helical membrane protein  
folding  
amino acids, 895–99  
deletion of helices, 909–10  
diversity, 893  
escape from bilayer  
constraints, 909  
evolution, 911–15  
experimental  
rearrangement of  
structure, 909–11  
flipping of helices, 909–10  
folding pathways, 902  
functional perspectives,  
908–9  
helix dipoles, 899  
helix flipping, 913  
helix shuffling, 913  
helix-lipid vs helix-helix  
interactions, 907–8  
hydrophobicity, 890–93  
integral membrane protein  
 $\alpha$ -helical fragments either  
refolded or synthesized  
independently, 904–5  
integral membrane protein  
structures known at high  
resolution, 884–85  
internal helices, 910–11  
intrahelical stagger, 913–14  
introduction, 882–86  
lipid bilayers, 886  
lipid roles, 902–3  
loops connecting helices,  
903  
naturally fused/split  
integral membrane  
proteins, 911–13  
overview, 915  
p-helix turns, 893–95  
properties of cytosolic and  
membrane environments  
relevant to protein folding  
and association, 889
- redundant helices, 910–11  
single-helicity, 899–900  
single transmembrane  
helices, 890–909  
stabilization, 893  
three-ten helix, 895  
transmembrane helices,  
890–909  
water, 899
- Helicases  
hexameric  
structure/function  
relationships and,  
651–91
- Helicity  
chromosome dynamics  
and, 130  
cyclooxygenases and, 151  
helical membrane protein  
folding, stability, and  
evolution, 881–915  
ribozyme structures and  
mechanisms, 604  
yeast homotypic vacuole  
fusion and, 247–70
- Helicobacter pylori*  
aminoacyl-tRNA synthesis  
and, 639  
two-component signal  
transduction and, 188
- Helix-destabilizing model  
hexameric helicases and,  
651, 682–83
- Hemagglutinin  
influenza hemagglutinin  
and, 531–63
- Heme  
cyclooxygenases and, 148,  
150, 152, 154  
cytochrome *bc* complexes  
and, 1027–34
- Hemoglobin  
history of research, 16,  
22–23
- Hepatitis delta virus (HDV)  
ribozyme  
ribozyme structures and

- mechanisms, 597, 603-5
- Herbicides  
microtubules and, 296
- Hetero-oligomerization  
microtubules and, 279-80
- Heterotrimerization  
G proteins and, 795-822
- Hexagonal crystals  
cytochrome *bc* complexes  
and, 1017, 1019
- Hexameric helicases  
activities, 655, 658  
alternative model for  
translocation, 680-81  
amino acids, 685  
archaeal helicase, 662  
bacterial helicases, 661-62  
bacteriophage helicases,  
660-61, 671, 686-88  
biological roles, 654  
catalysis, 673-75  
central channel and DNA  
binding, 665-66  
communication between  
adjacent nucleotide  
binding sites, 688-89  
coupling ratio and  
uncoupling of NTPase  
and movement, 681  
deletion mutants, 690-91  
DNA binding, 663-70, 689  
DnaB-like helicase  
sequence alignment,  
683-84  
DNA exclusion model,  
669-70  
DNA unwinding models,  
681-83  
double-stranded DNA, 664  
*E. coli* DnaB protein, 661,  
671  
*E. coli* rho protein, 662,  
671  
*E. coli* RuvB protein,  
661-62  
eukaryotic viral helicases,  
662-63
- F1-ATPase sequence  
alignment, 683-84  
future research, 691  
helicase assays, 678  
helicase motifs, 684-85  
helix-destabilizing model,  
682-83  
human Bloom's syndrome  
protein, 663  
introduction, 653-55  
kinetics of DNA/RNA  
binding, 666-68  
linker region mutants, 690  
listing, 656-57  
mammalian MCM 4,6,7,  
663  
*Methanobacterium*  
thermoautotrophicum  
MCM, 662  
mutagenesis, 689-91  
mutants defective in DNA  
binding, 690  
mutants defective in NTP  
hydrolysis, 689-90  
noncatalytic nucleotide  
binding sites, 672-73  
NTPase models, 675-76  
NTP hydrolysis, 672-76  
nuclease protection,  
664-65  
nucleotide binding,  
669-71, 686, 688-89  
oligomeric structure,  
655-58, 660  
one-site NTPase model,  
676  
papillomavirus E1 protein,  
662-63  
plasmid-encoded helicase,  
661  
polarity of DNA binding,  
666  
polyoma large T antigen  
protein, 662  
RecA sequence alignment,  
683-84  
ring-shaped hexamers,  
655-59
- RSF1010 RepA protein,  
661  
sequence-specific  
DNA/RNA binding, 664  
sequential NTPase  
reaction, 674-75  
single-stranded DNA,  
663-64, 677  
single-stranded RNA,  
663-64  
six subunits, 659-60, 665  
SPPI G40P protein,  
660-61  
structure/function  
relationships, 683-91  
subunit-subunit, 686, 688  
SV40 large T antigen, 662,  
671  
T4 gp41 protein, 660  
T7 gp4 protein, 660, 671,  
686  
three-site sequential  
NTPase model, 675-76  
three-site sequential  
translocation model,  
679-80  
torsional model, 682-83  
translocation, 677-83  
two-site sequential NTPase  
model, 675-76  
two-site sequential  
translocation model, 680  
uncoupled mutants, 690  
unidirectional  
translocation, 677-81  
unwinding, 677-83  
unwinding junction,  
668-69  
wedge model, 682-83
- Hinges  
chromosome dynamics  
and, 131
- Histidine  
aminoacyl-tRNA synthesis  
and, 622, 625, 629, 634  
antibody catalysis and,

- 759, 771, 775-76  
 cyclooxygenases and,  
 152-54, 156, 160  
 ribozyme structures and  
 mechanisms, 599  
 two-component signal  
 transduction and,  
 183-207
- Histidine protein kinase  
 two-component signal  
 transduction and,  
 183-207
- Histones  
 phosphorylation  
 chromosome dynamics  
 and, 127-28
- Holoenzymes  
 mediator of transcriptional  
 regulation and, 729-47
- Homing endonucleases  
 protein splicing and,  
 488-90
- Homohexamerization  
 hexameric helicases and,  
 651-91
- Homology  
 microtubules and, 282-83
- Homotypic vacuole fusion  
 yeast and, 247-70
- Hong Kong influenza virus  
 (1968)  
 influenza hemagglutinin  
 and, 531-63
- Hopping  
 coupling of ORFs by  
 translational bypassing,  
 343-45, 352
- Hormones  
 cyclooxygenases and, 163,  
 166
- H protein  
 glycine cleavage system  
 swinging arms and  
 swinging domains in  
 multifunctional  
 enzymes, 979-80
- Hsp70p protein
- mRNA decapping in  
*Saccharomyces cerevisiae*  
 and, 578-79
- HY4* gene  
 cryptochrome circadian  
 photoreceptor and, 42
- Hybridization experiments  
 history of research, 18-19
- Hydrogen bonds  
 antibody catalysis and,  
 758-59, 763, 768, 771-72  
 DNA replication fidelity  
 and, 497-523  
 helical membrane protein  
 folding, stability, and  
 evolution, 899
- Hydrogen peroxide  
 cyclooxygenases and, 170
- Hydrolysis  
 antibody catalysis and, 754  
 GTPase-activating proteins  
 for heterotrimeric G  
 proteins, 795-822  
 hexameric helicases and,  
 651, 689-90  
 nucleotide  
 microtubules and,  
 282-83
- Hydrophobicity  
 antibody catalysis and,  
 759, 778  
 cyclooxygenases and, 151,  
 155, 157  
 helical membrane protein  
 folding, stability, and  
 evolution, 890-93  
 protein glucosylation and  
 folding, 73, 83, 85-86
- I**
- Ibuprofen  
 cyclooxygenases and, 145,  
 159, 161
- ileS* gene  
 aminoacyl-tRNA synthesis  
 and, 641
- Imidazole
- antibody catalysis and, 776  
 ribozyme structures and  
 mechanisms, 605
- Immunization  
 antibody catalysis and,  
 751-87
- INCENP proteins  
 chromosome dynamics  
 and, 125  
 spindle assembly in animal  
 cells and, 109
- Indirect costs  
 academic, 1, 23-24
- Indirect selection  
 antibody catalysis and,  
 751-87
- Indolmycin  
 aminoacyl-tRNA synthesis  
 and, 641
- Induced fit  
 DNA replication fidelity  
 and, 499-508
- Inflammation  
 cyclooxygenases and,  
 145-74  
 platelet-activating factor  
 and related lipid  
 mediators, 419, 421-23
- Influenza hemagglutinin  
 antigenic variation  
 antibody binding and  
 neutralization of  
 infectivity, 542-43  
 antibody-binding sites,  
 540  
 antigenicity, 540-42  
 antigenic subtypes, 543  
 comparisons with other  
 virus and cellular  
 membrane fusion  
 proteins, 551-53  
 evolution of influenza virus  
 fusion glycoproteins,  
 561-63  
 inhibitors of membrane  
 fusion, 560-61  
 introduction, 532

- mechanism of membrane fusion
- coupling of
    - hemagglutinin
    - refolding free energy to membrane fusion, 558-60
  - fusion peptide insertion, 553-55
  - intermediates in membrane fusion, 553-55
  - membrane curvature, 555-57
  - pore formation, 557-58
- membrane fusion and viral entry
- activation pH and temperature, 546
  - HA0, 543-45
  - HA2, 549-51
  - priming and activation of membrane fusion potential, 545-46
  - recombinant HA2
    - spontaneously adopts fusion pH conformation, 549-51
    - refolding at fusion pH, 547-48
- receptor binding and evolution of receptor specificity
- receptor affinity and inhibition of receptor binding, 539
  - receptor-binding sites, 532-35
  - receptor-binding specificity, 536-39
  - site-directed mutations, 535
- Inheritance
- yeast homotypic vacuole fusion and, 247-70
- Inhibited translation
- mRNA decapping in *Saccharomyces cerevisiae* and, 582-84
- Initiation
- clathrin and, 718-20
  - regulation of chromosome replication and, 829-70
- Insertion fidelity
- DNA replication fidelity and, 499-508
- Inteins
- protein splicing and, 447-93
- Interleukin 1 (IL-1)
- cyclooxygenases and, 170-71
- Internal helices
- helical membrane protein folding, stability, and evolution, 911
- Interphase
- spindle assembly in animal cells and, 100
- Interpolar microtubules
- spindle assembly in animal cells and, 96-98
- Intrahelical stagger
- helical membrane protein folding, stability, and evolution, 913-14
- Introns
- ribozyme structures and mechanisms, 597
- Ion channels
- GTPase-activating proteins for heterotrimeric G proteins, 819-21
- Iron-sulfur protein
- cytochrome *bc* complexes and, 1035-37, 1040, 1048-51, 1064-65
- Isoleucine
- aminoacyl-tRNA synthesis and, 621-22, 627-31, 633
  - cyclooxygenases and, 160
  - microtubules and, 296
- Isotypes
- microtubules and, 290-91
- Isozyme differential sensitivity
- cyclooxygenases and, 145-74
- J**
- Jet lag
- cryptochrome circadian photoreceptor and, 61
- Juxtacrine signaling
- platelet-activating factor and related lipid mediators, 421-23
- K**
- K<sup>+</sup> channels
- GTPase-activating proteins for heterotrimeric G proteins, 819-21
- Katanin
- microtubules and, 294
  - spindle assembly in animal cells and, 100
- Kinase catalytic core
- two-component signal transduction and, 191-93
- Kinesins
- microtubules and, 292-93
- Kinetics
- cyclooxygenases and, 154-55, 158-59
  - hexameric helicases and, 651, 666-68
- Kinetochore
- chromosome dynamics and, 124, 135
  - spindle assembly in animal cells and, 95-96, 98
- KLP61F protein
- spindle assembly in animal cells and, 106
- Knockouts
- apoptosis signaling and, 229
  - clathrin and, 719-20
  - cryptochrome circadian photoreceptor and, 54-57

- cyclooxygenases and, 162, 164, 174
- Knots**  
chromosome dynamics and, 130
- kre5* mutant  
protein glucosylation and folding, 76
- Kyte-and-Doolittle**  
hydrophobicity plot  
protein glucosylation and folding, 85
- L**
- L9 ribosomal protein**  
coupling of ORFs by translational bypassing, 343, 354–57
- Landing**  
coupling of ORFs by translational bypassing, 343, 361–68
- Lateral contacts**  
microtubules and, 285
- Late sequestration**  
autophagy, CVT pathway, and pexophagy, 334–35
- Lattices**  
clathrin and, 710–13, 717–18  
microtubules and, 286
- Lead-dependent ribozyme**  
ribozyme structures and mechanisms, 597, 603
- Lectins**  
protein glucosylation and folding, 769, 78–79, 83–86
- Keishmania donovani*  
two-component signal transduction and, 207
- Leucine**  
aminoacyl-tRNA synthesis and, 622, 633, 640–41  
antibody catalysis and, 765  
clathrin and, 715  
cyclooxygenases and, 156, 158
- Leucine zipper motif**  
mediator of transcriptional regulation and, 743
- Leukocytes**  
platelet-activating factor and related lipid mediators, 421–23
- Ligand-binding domains**  
protein tyrosine kinase structure and function, 383–87
- Ligands**  
antibody catalysis and, 758–59  
clathrin and, 702–3  
microtubules and, 296–98  
protein splicing and, 447–93
- Ligation**  
chemical protein synthesis and, 954–55  
death receptor  
apoptosis signaling and, 217–37  
heme  
cytochrome *bc* complexes and, 1027–34
- Light absorption**  
cryptochrome circadian photoreceptor and, 31–63
- Light-chain sequences**  
clathrin and, 708
- Linkage analysis**  
chromosome dynamics and, 126–27, 137
- Linker regions**  
hexameric helicases and, 690  
swinging arms and swinging domains in multifunctional enzymes, 961, 982–83  
two-component signal transduction and, 195
- Lipid bilayers**  
cytochrome *bc* complexes and, 1005–67  
helical membrane protein folding, stability, and evolution, 881, 886
- Lipid kinases**  
autophagy, CVT pathway, and pexophagy, 324–26
- Lipid mediators**  
platelet-activating factor and, 419–41
- Lipoic acid**  
swinging arms and swinging domains in multifunctional enzymes, 961, 963–71, 994–96
- Lipopolysaccharide (LPS)**  
cyclooxygenases and, 163, 169–70
- Lipoylation**  
swinging arms and swinging domains in multifunctional enzymes, 984–86
- Lipoyl domains**  
swinging arms and swinging domains in multifunctional enzymes, 995–96
- Liver**  
cryptochrome circadian photoreceptor and, 52
- LMA1 protein**  
yeast homotypic vacuole fusion and, 247–70
- Local sequence environment**  
DNA replication fidelity and, 497–523
- Loops**  
aminoacyl-tRNA synthesis and, 626–28, 635  
clathrin and, 711  
helical membrane protein folding, stability, and evolution, 903  
microtubules and, 281–82, 285, 288, 293

- ribozyme structures and mechanisms, 604, 606
- Loyalty oath  
academic, 1, 7, 15
- Lsm proteins  
mRNA decapping in  
*Saccharomyces cerevisiae*  
and, 587-89
- Lung cancer  
cyclooxygenases and, 168,  
171, 174
- Lysine  
aminoacyl-tRNA synthesis  
and, 621, 624-25, 628,  
629-33  
antibody catalysis and,  
758, 777, 779  
cyclooxygenases and, 153  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 813  
microtubules and, 293  
two-component signal  
transduction and, 196
- Lysosomes  
autophagy, CVT pathway,  
and pexophagy, 303-37  
protein glucosylation and  
folding, 74, 78  
yeast homotypic vacuole  
fusion and, 247-70
- lysS* genes  
aminoacyl-tRNA synthesis  
and, 631
- M**
- Macroautophagy  
autophagy, CVT pathway,  
and pexophagy, 303-37
- Mad2 protein  
spindle assembly in animal  
cells and, 109
- Mammalian early endosomes  
yeast homotypic vacuole  
fusion and, 264-65
- Mammalian MCM 4,6,7  
hexameric helicases and,  
663
- Mammals  
autophagy, CVT pathway,  
and pexophagy, 303-37  
cryptochrome circadian  
photoreceptor and, 46-54,  
58-59  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 795-22  
mediator of transcriptional  
regulation and, 729-47  
regulation of chromosome  
replication and, 867-69  
spindle assembly and,  
95-111
- Mandatory retirement  
from academia, 1-2, 25
- Mannose  
protein glucosylation and  
folding, 69-89
- MAPK signaling pathways  
cyclooxygenases and, 167
- MAP proteins  
microtubules and, 292-96
- Matrix proteins  
peroxisomal  
import and, 399-14
- MCAK protein  
spindle assembly in animal  
cells and, 100, 109
- mcd1* gene  
chromosome dynamics  
and, 118
- Mechanistic investigations  
cytochrome *bc* complexes  
and, 1042-58
- MED* genes  
mediator of transcriptional  
regulation and, 739-43
- Mediator complex  
transcriptional regulation  
and  
alternate RNA  
polymerase II  
holoenzyme, 745  
*BDF1* gene, 745-46
- CSE2* gene, 743
- CTD and RNA  
polymerase II  
holoenzyme, 744  
discovery of Mediator,  
731-36
- GAL1* gene, 741-43  
introduction, 730-31  
mammalian Mediator  
homologs, 745-46  
mammalian Mediators,  
736-37
- MED* genes, 739-43
- Mediator-related  
proteins, 744-45
- NUT genes, 740
- perspectives, 746-47
- PGD1* gene, 741-43
- RGR1* gene, 740
- ROX3* gene, 743
- SIN4* gene, 741
- SOH1* gene, 745-46
- SRB* genes, 739, 744-45
- Srb proteins, 737-38
- yeast mediator proteins,  
737-39, 745-46
- Medicinal chemistry  
chemical protein synthesis  
and, 946-47
- MEI-S332 protein  
chromosome dynamics  
and, 124-25
- Meiosis  
chromosome dynamics  
and, 119  
spindle assembly in animal  
cells and, 95-111
- Melatonin  
cryptochrome circadian  
photoreceptor and, 34, 61
- Membrane-binding domain  
cyclooxygenases and,  
155-56
- Membrane budding  
clathrin and, 721-22
- Membrane fusion  
influenza hemagglutinin



- and, 531-63
- Membrane pinching  
clathrin and, 702-3
- Membrane proteins  
chemical protein synthesis  
and, 951-53  
cytochrome *bc* complexes  
and, 1005-67  
helical membrane protein  
folding, stability, and  
evolution, 881-915  
peroxisomal  
import and, 399-414  
yeast homotypic vacuole  
fusion and, 247-70
- Membrane trafficking  
clathrin and, 699-723
- Messenger RNA (mRNA)  
aminoacyl-tRNA synthesis  
and, 618, 629, 636  
coupling of ORFs by  
translational bypassing,  
343-69  
cryptochrome circadian  
photoreceptor and, 51-52,  
55  
cyclooxygenases and, 170  
decapping  
*Saccharomyces*  
*cerevisiae* and, 571-92  
regulation of chromosome  
replication and, 853
- Metabolism  
peroxisomal matrix and  
membrane protein import,  
399-414
- Metaphase  
chromosome dynamics  
and, 115-39  
spindle assembly in animal  
cells and, 97-99, 101-2,  
104
- Metastasis  
influenza hemagglutinin  
and, 531-63
- Metazoan complexes  
cytochrome *bc* complexes  
and, 1024-26
- Methanobacterium*  
*thermoautotrophicum*  
aminoacyl-tRNA synthesis  
and, 631, 639  
minichromosomal  
maintenance protein  
hexameric helicases and,  
662  
two-component signal  
transduction and, 188
- Methanococcus jannaschii*  
aminoacyl-tRNA synthesis  
and, 619, 631, 637, 639  
two-component signal  
transduction and, 188
- Methanococcus maripaludis*  
aminoacyl-tRNA synthesis  
and, 631
- Methionine  
aminoacyl-tRNA synthesis  
and, 621-22, 624,  
627-29, 631, 633-35  
cyclooxygenases and, 153
- Mg<sup>2+</sup>  
aminoacyl-tRNA synthesis  
and, 638  
hexameric helicases and,  
677  
ribozyme structures and  
mechanisms, 599-600,  
605, 608, 611  
two-component signal  
transduction and, 197
- Micelles  
cyclooxygenases and, 158  
protein glucosylation and  
folding, 85-86
- Microsomes  
protein glucosylation and  
folding, 73, 78
- Microtubules  
antimitotic tubulin ligands,  
296-98  
bacterial FtsZ, 282-83  
binding sites, 297-98  
colchicine site, 297  
conclusions, 298  
cytosolic chaperonin CCT,  
279-80  
destabilizers, 294  
dimerization, 279-82  
dynamic instability,  
286-88  
dynein, 293-94  
ends, 286-88  
end subunits, 286-87  
folding cofactors, 279-80  
GTP cap, 286-88  
homology, 282-83  
introduction, 278-79  
isotypes, 290-91  
kinesin family, 292-93  
lateral contacts, 285  
lattice type, 286  
MAP proteins, 292-96  
minus ends, 287  
monomer/dimer ratios,  
279-80  
motors, 292-96  
nucleation, 288-90  
nucleotide binding, 281-82  
nucleotide hydrolysis,  
282-83  
plus ends, 287  
posttranslational  
modification, 291-92  
protofilament curvature,  
283-84  
seams, 286  
spindle assembly in animal  
cells and, 95-111  
stabilizers, 294-95  
taxol site, 297-98  
treadmilling, 288  
tubulin  
folding, 279-81  
orientation, 284-85  
overview, 278-79  
structure, 281-86  
tubulin-binding proteins,  
295-96  
vinblastine site, 297  
Minichromosomal

- maintenance (MCM) proteins
    - hexameric helicases and, 651, 662-63
    - regulation of chromosome replication and, 839-41, 848-49, 853-54, 858
  - Minor groove
    - DNA replication fidelity and, 497-523
  - Minus ends
    - microtubules and, 287
  - mis* genes
    - chromosome dynamics and, 125
    - chromosome dynamics and, 120-21, 125
  - Mismatch extension
    - DNA replication fidelity and, 508-10
  - Mitochondria
    - cytochrome *bc* complexes and, 1005, 1012
  - Mitosis
    - chromosome dynamics and, 115-39
    - microtubules and, 277-98
    - spindle assembly in animal cells and, 95-111
    - yeast homotypic vacuole fusion and, 268-69
  - Mn<sup>2+</sup>
    - ribozyme structures and mechanisms, 600, 602, 605
  - Molecular clock
    - cryptochrome circadian photoreceptor and, 31, 59
  - Mollusca* spp.
    - protein glucosylation and folding, 72
  - Monoclinic crystals
    - cytochrome *bc* complexes and, 1017
  - Monoglucosylated oligosaccharides
    - protein glucosylation and folding, 78-79, 87
  - Monomer/dimer ratios
    - microtubules and, 279-80
  - Monomers
    - cytochrome *bc* complexes and, 1058
    - GTPase-activating proteins for heterotrimeric G proteins, 795-822
  - Motor proteins
    - hexameric helicases and, 651-91
    - microtubules and, 292-96
  - Multienzyme complexes
    - aminoacyl-tRNA synthesis and, 633
  - Multifunctional enzymes
    - swinging arms/swinging domains in
      - active-site coupling, 987-95
      - acyl carrier protein, 982-83
      - antigens, 996
      - assembly, 990-91
      - biotin, 963-64, 968-69
      - biotinylation, 984-86
      - biotinyl domain, 980-82
      - conclusions, 996-97
    - H protein of glycine cleavage system, 979-80
    - introduction, 962
    - linker regions, 983-84
    - lipoic acid, 964-96
    - lipoylation, 984-86
    - lipoyl domains, 971-79
    - 2-oxo acid
      - dehydrogenase complexes, 971-79
    - pantetheine, 969-71, 986-87
    - pantetheinic acid, 965, 995
    - phosphopantetheinylation, 986-87
    - phosphorylation, 995-96
  - posttranslational modification, 984
    - substrate channeling, 987-95
    - swinging domains, 987-90
  - Multiprotein replication complexes
    - DNA replication fidelity and, 520-21
  - Mupirocin
    - aminoacyl-tRNA synthesis and, 641
  - Mutagenesis
    - hexameric helicases and, 689-91
    - mRNA decapping in *Saccharomyces cerevisiae* and, 579, 581
  - Mutator polymerases
    - DNA replication fidelity and, 501-6
  - Mycobacterium xenopi*
    - protein splicing and, 461-63
  - Mycoplasma genitalium*
    - two-component signal transduction and, 188
- N**
- Nascent peptide signal
    - coupling of ORFs by translational bypassing, 352-54
  - Native proteins
    - chemical ligation and, 923-57
  - ncd* mutants
    - spindle assembly in animal cells and, 102
  - Needle habit
    - cytochrome *bc* complexes and, 1012
  - N-ethylmaleimide (NEM)
    - antibody catalysis and, 761
  - Neurospora crassa*
    - aminoacyl-tRNA synthesis

- and, 634
- GTPase-activating proteins for heterotrimeric G proteins, 821
- two-component signal transduction and, 188
- Neurotransmitters
  - clathrin and, 702-3
  - yeast homotypic vacuole fusion and, 266-68
- NF $\kappa$ B signaling pathway
  - cyclooxygenases and, 167
- Nitrogen
  - ribozyme structures and mechanisms, 609
- Noncatalytic nucleotide binding sites
  - hexameric helicases and, 672-73
- Noncoded amino acids
  - chemical protein synthesis and, 944-45
- Nonsteroidal
  - anti-inflammatory drugs (NSAIDs)
    - cyclooxygenases and, 145, 155, 159-61
- NPH1* gene
  - cryptochrome circadian photoreceptor and, 42
- NS-398
  - cyclooxygenases and, 161
- NSF/Sec18p protein
  - yeast homotypic vacuole fusion and, 247-70
- N-terminal domain
  - clathrin and, 706-9, 714
  - two-component signal transduction and, 194-95
- NTPase models
  - hexameric helicases and, 675-76
- NTP hydrolysis
  - hexameric helicases and, 672-76, 689-90
- Nuclear envelope
  - cyclooxygenases and, 151
  - spindle assembly in animal cells and, 100-1, 106
- Nuclear magnetic resonance (NMR)
  - chemical protein synthesis and, 923-57
  - ribozyme structures and mechanisms, 603, 606
  - two-component signal transduction and, 201
- Nuclease protection
  - hexameric helicases and, 664-65
- Nucleation
  - microtubules and, 288-90
- Nucleoside triphosphatase (NTPase)
  - hexameric helicases and, 651-91
- Nucleotide-based
  - microtubule dynamics
    - microtubules and, 277-98
  - hexameric helicases and, 670-71, 686, 688-89
  - microtubules and, 281-83
- Nucleotide selectivity
  - DNA replication fidelity and, 497-523
- NuMA protein
  - spindle assembly in animal cells and, 102-3, 105
- NUT* genes
  - mediator of transcriptional regulation and, 740
- O**
- Ochratoxin A
  - aminoacyl-tRNA synthesis and, 641
- Octanoic acid
  - swinging arms and swinging domains in multifunctional enzymes, 963
- Oligomerization
  - autophagy, CVT pathway, and pexophagy, 312
  - helical membrane protein folding, stability, and evolution, 881-915
  - hexameric helicases and, 651-91
  - protein glucosylation and folding, 69, 80-83
- Oligosaccharides
  - protein glucosylation and folding, 69-89
- Ombudsman
  - NIH, 1, 25-27
- omp* genes
  - coupling of ORFs by translational bypassing, 351
  - two-component signal transduction and, 198, 204
- Oncocidin A1
  - microtubules and, 296
- Oncogenes
  - cyclooxygenases and, 170-72
- One-site NTPase model
  - hexameric helicases and, 676
- Op18 factor
  - microtubules and, 294
- Op18/stathmin
  - spindle assembly in animal cells and, 99
- Open reading frames (ORFs)
  - coupling of by translational bypassing, 343-69
- Opsins
  - cryptochrome circadian photoreceptor and, 45-46
- ORD protein
  - chromosome dynamics and, 124-25
- Organelle biogenesis
  - peroxisomal matrix and membrane protein import, 399-414
- Organelles
  - excessive

- autophagy, CVT  
pathway, and  
pexophagy, 303-37
- Organelle trafficking  
yeast homotypic vacuole  
fusion and, 247-70
- Origin recognition complex  
regulation of chromosome  
replication and, 831-37,  
849
- Orthorhombic crystals  
cytochrome *bc* complexes  
and, 1017-19
- Oxidation  
nonenzymatic  
platelet-activating factor  
and related lipid  
mediators, 419-41
- Oxidation-reduction  
cytochrome *bc* complexes  
and, 1005, 1022-24,  
1035-37, 1045-47,  
1052-56
- Oxidative generation  
platelet-activating factor  
and related lipid  
mediators, 431-33
- Oxidoreductase  
cytochrome *bc* complexes  
and, 1005-67
- 2-Oxo-acid dehydrogenase  
complexes  
swinging arms and  
swinging domains in  
multifunctional enzymes,  
971-79
- Oxy-Cope rearrangement  
antibody catalysis and,  
755-60, 784
- Oxyferryl groups  
cyclooxygenases and, 148
- Oxygen  
antibody catalysis and,  
755-60  
history of research, 22  
microtubules and, 297  
ribozyme structures and  
mechanisms, 600-5, 609
- P**
- p115RhoGEF protein  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 795-822
- Pab1p protein  
mRNA decapping in  
*Saccharomyces cerevisiae*  
and, 585-86
- Pacemaker  
circadian  
cryptochrome circadian  
photoreceptor and,  
31-63
- PAF acetylhydrolase  
platelet-activating factor  
and related lipid  
mediators, 419-41
- Pain  
cyclooxygenases and,  
145-74
- Pantetheine  
swinging arms and  
swinging domains in  
multifunctional enzymes,  
963, 969-71, 986-87
- Pantetheinic acid  
swinging arms and  
swinging domains in  
multifunctional enzymes,  
965, 995
- Papillomavirus E1 protein  
hexameric helicases and,  
662-63
- Paramecium cilia  
microtubules and, 291
- Pat1/Mrt1p protein  
mRNA decapping in  
*Saccharomyces cerevisiae*  
and, 586-87
- Pb<sup>2+</sup>  
ribozyme structures and  
mechanisms, 603
- Pds1/Cut2/securin  
chromosome dynamics  
and, 136
- Peptide bonds  
protein splicing and,  
447-93
- Peptide-in-groove  
interactions  
clathrin and, 716
- Per* genes  
cryptochrome circadian  
photoreceptor and, 31, 47,  
50-51, 53-60, 62
- Pericentrin  
spindle assembly in animal  
cells and, 103
- Peripheral elements  
ribozyme structures and  
mechanisms, 610-11
- Peripheral proteins  
cytochrome *bc* complexes  
and, 1027
- Peroxidase  
cyclooxygenases and,  
145-74
- Peroxins  
peroxisomal matrix and  
membrane protein import,  
399, 411-12
- Peroxisomal protein import  
assembly, 405-9  
biogenesis, 409  
disorders caused by  
peroxin mutations,  
412-13  
disorders resulting from  
mutations in proteins  
other than peroxins,  
413-14  
human peroxisomal  
diseases, 412-14  
mechanism, 400  
overview, 400-4  
peroxin interactions,  
411-12  
quality control pathway,  
409-11  
unanswered questions,  
404-5, 409

- Peroxisomes  
autophagy, CVT pathway,  
and pexophagy, 329–36
- Peroxynitrite  
cyclooxygenases and, 149
- pex* genes  
peroxisomal matrix and  
membrane protein import,  
399–414
- Pexophagosome  
autophagy, CVT pathway,  
and pexophagy, 335
- Pexophagy  
autophagy, CVT pathway,  
and pexophagy, 303–37
- PGD1* gene  
mediator of transcriptional  
regulation and, 741–43
- PGHS-1/PGHS-2  
endoperoxide H  
prostaglandin synthases  
cyclooxygenases and,  
145–74
- pH  
cytochrome *bc* complexes  
and, 1054  
influenza hemagglutinin  
and, 531, 546–51
- Phagocytosis  
apoptosis signaling and,  
217–37
- p-Helix turns  
helical membrane protein  
folding, stability, and  
evolution, 893–95
- Phenylalanine  
aminoacyl-tRNA synthesis  
and, 621–22, 625, 641  
antibody catalysis and,  
765, 776  
coupling of ORFs by  
translational bypassing,  
365–66  
cyclooxygenases and, 153,  
160
- Phosphatidylinositol (PI-3)  
kinase  
autophagy, CVT pathway,  
and pexophagy, 326
- Phospholipase c- $\beta$  (PLC- $\beta$ )  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 795, 809–10
- Phospholipases  
cyclooxygenases and,  
163–64  
platelet-activating factor  
and related lipid  
mediators, 419–41
- Phospholipids  
platelet-activating factor  
and related lipid  
mediators, 419–41
- N-Phosphonoacetyl-L-  
aspartate (PALA)  
history of research, 16, 20,  
22–23
- Phosphopantetheinylation  
swinging arms and  
swinging domains in  
multifunctional enzymes,  
963, 986–87
- Phosphorelay systems  
two-component signal  
transduction and, 202–3
- Phosphorylation  
histone  
chromosome dynamics  
and, 127–28  
protein tyrosine kinase  
structure and function,  
373–95  
regulation of chromosome  
replication and, 829–70  
swinging arms and  
swinging domains in  
multifunctional enzymes,  
995–96  
two-component signal  
transduction and,  
183–207
- Phosphotransfer systems  
two-component signal  
transduction and, 202
- Photoelectric absorption  
optical system  
history of research, 1, 10
- Photolyase  
cryptochrome circadian  
photoreceptor and, 31,  
40–41
- Photoreceptor  
circadian  
cryptochrome and,  
31–63
- Photosynthesis  
history of research, 1, 8
- Phototropin  
cytochrome circadian  
photoreceptor and, 38, 40
- Phycocyanobilin  
cryptochrome circadian  
photoreceptor and, 36
- Phylogeny  
cytochrome *bc* complexes  
and, 1005, 1058–67  
GTPase-activating proteins  
for heterotrimeric G  
proteins, 799–803  
ribozyme structures and  
mechanisms, 597
- Physiology  
apoptosis signaling and,  
228–30
- Pichia pastoris*  
peroxisomal matrix and  
membrane protein import,  
403, 406–7, 410–11
- Pigmentation  
photoactive  
cryptochrome circadian  
photoreceptor and, 31,  
35–37
- pim-1* gene  
apoptosis signaling and,  
230
- pimples* gene  
chromosome dynamics  
and, 137
- plaA* gene  
coupling of ORFs by

- translational bypassing, 368
- Plasma
- platelet-activating factor and related lipid mediators, 437-41
- Plasma membrane
- clathrin and, 702-3
- Plasmid-encoded helicase
- hexameric helicases and, 661
- Plasmids
- spindle assembly in animal cells and, 104
- Platelet-activating factor (PAF)
- related lipid mediators and acetylhydrolases, 433-41
  - acute inflammation, 421-23
  - conclusions, 441
  - degradation, 433-41
  - generation of related compounds, 428-33
  - intracellular forms, 435-37
  - introduction, 420
  - juxtacrine signaling, 421-23
  - leukocyte adhesion and activation, 421-23
  - oxidative generation of PAF-like lipids, 431-33
  - physiologic actions, 420-24
  - plasma form, 437-41
  - receptor, 424-27
  - signaling roles for PAF in vivo, 423-24
  - synthesis, 428-33
- Platelet-dependent growth factor (PDGF)
- cyclooxygenases and, 170
- Platelet microparticles
- cyclooxygenases and, 170
- Plus ends
- microtubules and, 287
- Polar ejection forces
- spindle assembly in animal cells and, 108-10
- Polarity
- of DNA binding
    - hexameric helicases and, 666
- Polyadenylation
- mRNA decapping in *Saccharomyces cerevisiae* and, 571-92
- Poly(A) tails
- mRNA decapping in *Saccharomyces cerevisiae* and, 585-86
- Polymers
- microtubules and, 277-98
- Polymer-supported synthesis
- chemical protein synthesis and, 923-57
- Polyoma large T antigen
- protein
    - hexameric helicases and, 662
- Pore formation
- influenza hemagglutinin and, 557-58
- Positive trefoils
- chromosome dynamics and, 130
- Posttranslational modification
- cyclooxygenases and, 170
  - microtubules and, 277-98
  - mRNA decapping in *Saccharomyces cerevisiae* and, 577
  - protein splicing and, 447-93
  - swinging arms and swinging domains in multifunctional enzymes, 961-97
- Precise covalent modification
- chemical protein synthesis and, 945
- Prevotella loeschii*
- coupling of ORFs by translational bypassing, 368
- Priming
- influenza hemagglutinin and, 545-46
  - yeast homotypic vacuole fusion and, 247, 255-58
- Prokaryotes
- two-component signal transduction and, 183, 188-89
- Proline
- aminoacyl-tRNA synthesis and, 622, 625, 628, 633, 641-42
  - antibody catalysis and, 776
  - clathrin and, 708
  - GTPase-activating proteins for heterotrimeric G proteins, 813
  - helical membrane protein folding, stability, and evolution, 897
  - protein glucosylation and folding, 77
- Prometaphase
- spindle assembly in animal cells and, 99, 101, 104
- Promotor specificity
- mediator of transcriptional regulation and, 729-47
- Proofreading
- aminoacyl-tRNA synthesis and, 617, 629-31
  - DNA replication fidelity and, 497, 510-13, 518-19
- Propagation
- clathrin and, 720-21
- $\beta$ -Propellers
- clathrin and, 710-11, 713-14
- Prophase
- spindle assembly in animal cells and, 99, 106
- Prostaglandin synthase
- cyclooxygenases and,

- 145-74
- Prosthetic groups  
 helical membrane protein  
 folding, stability, and  
 evolution, 881-915  
 swinging arms and  
 swinging domains in  
 multifunctional enzymes,  
 961-97
- Protein conformational  
 change  
 two-component signal  
 transduction and,  
 183-207
- Protein conjugation  
 autophagy, CVT pathway,  
 and pexophagy, 303,  
 315-16
- Protein Data Bank  
 clathrin and, 716
- Protein domains  
 swinging arms and  
 swinging domains in  
 multifunctional enzymes,  
 961-97
- Protein engineering  
 history of research, 19-21
- Protein folding  
 chemical protein synthesis  
 and, 940-44  
 cytochrome *bc* complexes  
 and, 1027-34  
 glucosylation and  
 calnexin/calreticulin,  
 77-79, 83-86  
 nconclusions, 89  
 molecular chaperones  
 and fold-assisting  
 proteins of  
 endoplasmic reticulum,  
 76-77  
 monoglucosylated  
 oligosaccharides in  
 glycoprotein folding  
 facilitation and cell  
 viability, 87-89  
 UDP-Glc:glycoprotein  
 glucosyltransferase,  
 72-76  
 glycosylation and  
 calnexin and calreticulin  
 differ in *in vivo* binding  
 of glycoproteins and  
 oligosaccharides,  
 79-83  
 helical membrane protein  
 folding, stability, and  
 evolution, 881-85  
 swinging arms and  
 swinging domains in  
 multifunctional enzymes,  
 961-97
- Protein kinases  
 autophagy, CVT pathway,  
 and pexophagy, 313-15,  
 324-26  
 regulation of chromosome  
 replication and, 829,  
 846-55  
 two-component signal  
 transduction and,  
 183-207
- Protein-mediated linkage  
 chromosome dynamics  
 and, 126
- Protein networks  
 clathrin and, 722-23
- Protein phosphatases  
 autophagy, CVT pathway,  
 and pexophagy, 324-26  
 regulation of chromosome  
 replication and, 855
- Proteins  
 microtubules and, 277-98  
 native  
 chemical ligation and,  
 923-57  
 peroxisomal matrix and  
 membrane protein import,  
 399-414  
 platelet-activating factor  
 and related lipid  
 mediators, 419-41  
 protein splicing and related  
 forms of protein  
 autoprocessing, 447-93  
 regulation of chromosome  
 replication and, 832-42
- Protein sorting  
 clathrin and, 699-723  
 pyruvoyl enzymes,  
 484-87  
 self-cleavage of  
 glycosylasparaginase  
 precursors, 479-84
- Protein splicing  
 biological context  
 distribution in nature,  
 487-88  
 hedgehog proteins,  
 490-91  
 homing endonucleases,  
 488-90  
 protein splicing in *trans*,  
 491-92  
 chemical protein synthesis  
 and, 935-38  
 conclusions, 492-93  
 introduction, 448  
 mechanism  
 asparagine cyclization,  
 455-56  
 general characteristics,  
 450-53  
 N-O or N-S acyl  
 rearrangement, 453-54  
 transesterification,  
 454-55  
 uncatalyzed finishing  
 reactions, 456  
 modulation of protein  
 splicing by mutation  
 expressed protein  
 ligation, 472-74  
 modified inteins as  
 protein engineering  
 tools, 468  
 protein splicing in *trans*,  
 474-75  
 self-cleavable affinity  
 tags in protein

- purification, 468–72  
 related forms of protein autoprocesing  
   hedgehog proteins, 477–79  
   N-O and N-S rearrangements in protein autoprocesing, 475–77  
 structure of protein splicing elements  
   amino acid sequence comparison, 457  
   crystal structure of *Mycobacterium xenopi* GyrA intein, 461–63  
   crystal structure of *Saccharomyces cerevisiae* VMA intein, 463–65  
   genetic dissection of protein splicing elements, 457–60  
   protein splicing in *trans*, 465–68  
 Protein tyrosine kinases  
   Abl, 382  
   cellular signaling, 374–75  
   conclusions, 395  
   cytoplasmic domains, 387–92  
   dimerization, 380–81  
   future research, 395  
   introduction, 374  
   ligand-binding domains, 383–87  
   miscellaneous mechanisms, 381  
   nonreceptor tyrosine kinases, 392–95  
   overall protein architecture, 376–79  
   receptor tyrosine kinases, 383–92  
   regulation of nonreceptor tyrosine kinases, 381–83  
   regulation of receptor tyrosine kinases, 379–81  
   Src family tyrosine kinases, 382, 392–95  
   tyrosine autophosphorylation, 379–80  
   Zap70/Syk, 382–83  
 Proteoliposomes  
   yeast homotypic vacuole fusion and, 247–70  
 Proteolysis  
   apoptosis signaling and, 217–37  
 Protofilament curvature  
   microtubules and, 283–84  
 Proton gradient  
   cytochrome *bc* complexes and, 1005–67  
 Protooncogenes  
   apoptosis signaling and, 230  
 Proximity effects  
   antibody catalysis and, 755–66  
*Pseudomonas aeruginosa*  
   coupling of ORFs by translational bypassing, 368  
*Pseudomonas fluorescens*  
   aminoacyl-tRNA synthesis and, 641  
*Pseudomonas putida*  
   two-component signal transduction and, 190  
 Pseudomonic acid  
   aminoacyl-tRNA synthesis and, 641  
 P site decoding  
   coupling of ORFs by translational bypassing, 343, 361–64  
 Pterins  
   cryptochrome circadian photoreceptor and, 31, 37  
*pyr* genes  
   history of research, 20, 22  
*Pyrobaculum aerophilum*  
   aminoacyl-tRNA synthesis and, 639  
*Pyrococcus* spp.  
   aminoacyl-tRNA synthesis and, 622, 639  
 Pyrophosphate  
   aminoacyl-tRNA synthesis and, 621  
 Pyruvoyl enzymes  
   protein splicing and, 447, 484–87
- ## Q
- Q-cycle  
   modified cytochrome *bc* complexes and, 1042–44  
 Q sites  
   cytochrome *bc* complexes and, 1045–48, 1051–52, 1056–58  
 Quality control  
   peroxisomal matrix and membrane protein import, 409–11  
   protein glucosylation and folding, 69–89  
 Quaternary structure  
   protein glucosylation and folding, 69–89  
 Quinol oxidation  
   cytochrome *bc* complexes and, 1045–47, 1052–55
- ## R
- Rab proteins  
   clathrin and, 719  
   yeast homotypic vacuole fusion and, 247–70  
*rad* genes  
   chromosome dynamics and, 120  
   regulation of chromosome replication and, 859, 864–68  
 Rapamycin



- autophagy, CVT pathway, and pexophagy, 326
- Ras-like monomers  
GTPase-activating proteins for heterotrimeric G proteins, 795-822
- ras* oncogene  
cyclooxygenases and, 170
- Rayleigh interference optics  
history of research, 1, 11
- rd* mice  
cryptochrome circadian photoreceptor and, 44-45
- rec8* gene  
chromosome dynamics and, 119
- RecA protein  
hexameric helicases and, 683-84
- Receptors  
apoptosis signaling and, 217, 222-23  
clathrin and, 699-723  
GTPase-activating proteins for heterotrimeric G proteins, 814  
influenza hemagglutinin and, 531-63  
platelet-activating factor and related lipid mediators, 419, 424-27  
protein tyrosine kinase structure and function, 373-95
- Recognition  
aminoacyl-tRNA synthesis and, 625-29
- Recombination  
hexameric helicases and, 651-91
- Recycling  
autophagy, CVT pathway, and pexophagy, 303-37
- Redundant helices  
helical membrane protein folding, stability, and evolution, 910-11
- Refolding  
protein  
influenza hemagglutinin and, 546-60
- Regulation  
apoptosis signaling and, 217-37  
autophagy, CVT pathway, and pexophagy, 324  
chromosome replication and, 829-70  
condensin complex  
chromosome dynamics and, 132  
GTPase-activating proteins for heterotrimeric G proteins, 795, 806-22  
platelet-activating factor and related lipid mediators, 419-41  
of sister chromatid separation  
chromosome dynamics and, 135-37  
swinging arms and swinging domains in multifunctional enzymes, 995-96  
two-component signal transduction and, 183-207
- Regulatory domain  
two-component signal transduction and, 196-98
- Regulatory subunits  
history of research, 1, 14, 16-19
- Reinitiation block  
regulation of chromosome replication and, 855-58
- RepA protein  
regulation of chromosome replication and, 850-51  
regulation of chromosome replication and, 850-51
- Replication checkpoints  
regulation of chromosome replication and, 858-69
- Replication switch  
regulation of chromosome replication and, 855
- Repression  
mediator of transcriptional regulation and, 729-47
- Resolution  
sister chromatid  
chromosome dynamics and, 132-35
- Respiratory chain  
cytochrome *bc* complexes and, 1005-67
- Response regulator proteins  
two-component signal transduction and, 183, 195, 205
- Retinal  
cryptochrome circadian photoreceptor and, 36
- RGR1* gene  
mediator of transcriptional regulation and, 740
- RGS domain  
GTPase-activating proteins for heterotrimeric G proteins, 799-802
- RGS proteins  
GTPase-activating proteins for heterotrimeric G proteins, 795-822
- Rhizobium meliloti*  
two-component signal transduction and, 190-91, 205
- Rhodopsin  
cryptochrome circadian photoreceptor and, 37-38
- Rhodospirillum rubrum*  
history of research, 8
- Rho GEF proteins  
GTPase-activating proteins for heterotrimeric G proteins, 810-11
- rho protein  
hexameric helicases and,

- 651, 662
- 16S Ribosomal RNA (16S rRNA)
- coupling of ORFs by translational bypassing, 359–60
- Ribosomes
- aminoacyl-tRNA synthesis and, 618, 636
- coupling of ORFs by translational bypassing, 343–69
- history of research, 1, 8, 10
- Ribozymes
- structure and mechanisms
- active structure
- maintenance, 610–11
- architecture of complex ribozyme, 607–11
- catalysis, 599–600
- comparative structures of catalytic RNAs, 611–12
- hairpin ribozyme, 605, 606
- hammerhead ribozyme, 600–3
- hepatitis delta virus ribozyme, 603–5
- introduction, 598–99
- leadzyme, 603
- peripheral elements, 610–11
- small self-cleaving RNAs, 600–7
- structural models, 608–10
- Tetrahymena thermophila* group I ribozyme, 607–11
- Rieske iron-sulfur protein
- cytochrome *bc* complexes and, 1035–37, 1040, 1048–51, 1064–65
- Ring-shaped hexamers
- hexameric helicases and, 651, 655–59
- RNA binding
- hexameric helicases and, 664
- RNA polymerase II
- mediator of transcriptional regulation and, 729–47
- RNA rotamase
- antibody catalysis and, 786
- RNA structure/catalysis
- ribozyme structures and mechanisms, 597–612
- Rotating shift work
- cryptochrome circadian photoreceptor and, 61
- ROX3* gene
- mediator of transcriptional regulation and, 743
- RSF1010 RepA protein
- hexameric helicases and, 661
- RuvB protein
- hexameric helicases and, 661–62
- S**
- Saccharomyces cerevisiae*
- autophagy, CVT pathway, and pexophagy, 305–6
- chromosome dynamics and, 118–23, 127, 129, 132, 136–37
- clathrin and, 707, 714, 719
- cryptochrome circadian photoreceptor and, 33, 49
- GTPase-activating proteins for heterotrimeric G proteins, 821
- hexameric helicases and, 663
- mediator of transcriptional regulation and, 744–45
- microtubules and, 283
- mRNA decapping in biological significance of mRNA turnover, 572
- cap binding protein, 581
- cis*-acting signals for mRNA decay rate and inhibited translation, 582–84
- Dcp1p, 575–79
- Dcp2p, 577–78
- deadenylation rate, 581–82
- decapping machinery and control, 584–91
- distinct pathways of eukaryotic mRNA degradation, 572–74
- future research, 591–92
- Hsp70p, 578–79
- introduction, 572–74
- Lsm proteins, 587–89
- miscellaneous proteins, 591
- mRNA substrate and Dcp1p, 576
- mRNA surveillance, 584–85
- mutagenesis, 579, 581
- mutations in translation initiation factors, 579, 581
- network of interactions, 590–91
- Pat1/Mrt1p, 586–87
- poly(A) binding protein, 585–86
- poly(A) tails, 585–86
- posttranslational modification of Dcp1p, 577
- production and regulation of decapping activity in vivo, 577–79
- structure/function analysis of Dcp1p, 576–77
- translation initiation complex, 579–82
- peroxisomal matrix and membrane protein import, 402–7, 411
- protein glucosylation and

- folding, 73, 75–76, 87  
 protein splicing and, 463–65  
 regulation of chromosome replication and, 830–70  
 two-component signal transduction and, 188–89, 193–94, 203  
 yeast homotypic vacuole fusion and, 247–70
- Salmonella typhimurium*  
 coupling of ORFs by translational bypassing, 366  
 two-component signal transduction and, 197, 206
- Salt bridges  
 antibody catalysis and, 758, 772
- Sarcodictins  
 microtubules and, 297
- SB203580  
 cyclooxygenases and, 170
- Scaffolding  
 antibody catalysis and, 786–87  
 chromosome dynamics and, 131  
 clathrin and, 702–3  
 GTPase-activating proteins for heterotrimeric G proteins, 795–822
- Scanning  
 coupling of ORFs by translational bypassing, 343, 357–61
- scc2* gene  
 chromosome dynamics and, 120–21
- Schachman HK, 1–28
- Schiff base formation  
 antibody catalysis and, 777
- Schizosaccharomyces pombe*  
 chromosome dynamics and, 118–20, 129, 132, 136–37
- cryptochrome circadian photoreceptor and, 33  
 hexameric helicases and, 663  
 mediator of transcriptional regulation and, 736–37  
 protein glucosylation and folding, 73, 75–76, 83, 87–88  
 regulation of chromosome replication and, 830–70  
 two-component signal transduction and, 188
- Scientific misconduct  
 academic, 24
- Screening protocols  
 antibody catalysis and, 751, 785
- Seams  
 microtubules and, 286
- Seasonal affective disorder (SAD)  
 cryptochrome circadian photoreceptor and, 60–61
- Securins  
 chromosome dynamics and, 136
- Segregated signaling  
 cyclooxygenases and, 162–63
- Selectivity  
 aminoacyl-tRNA synthesis and, 625–29  
 antibody catalysis and, 786  
 GTPase-activating proteins for heterotrimeric G proteins, 812–14, 818–19
- Selenocysteinyl-tRNA  
 pathway  
 aminoacyl-tRNA synthesis and, 635–37
- Self-cleavable affinity tags  
 protein splicing and, 447, 468–72
- Self-cleavage  
 RNA  
 ribozyme structures and mechanisms, 597, 600–7
- Self-fusion  
 yeast homotypic vacuole fusion and, 247–70
- Self-splicing  
 RNA  
 ribozyme structures and mechanisms, 597–612
- sel* genes  
 aminoacyl-tRNA synthesis and, 636
- Sensing domain  
 two-component signal transduction and, 194–202
- Separation  
 sister chromatid  
 chromosome dynamics and, 115, 135–38
- Separins  
 chromosome dynamics and, 136
- Sequence-specific DNA/RNA binding  
 hexameric helicases and, 664
- Sequential mechanisms  
 hexameric helicases and, 651–91
- Sequential NTPase reaction  
 hexameric helicases and, 674–75
- Sequestration  
 autophagy, CVT pathway, and pexophagy, 303–37
- Serine  
 aminoacyl-tRNA synthesis and, 621–22, 625, 628, 636  
 antibody catalysis and, 759, 765, 771, 778–79  
 chromosome dynamics and, 127  
 cyclooxygenases and, 156, 159  
 GTPase-activating proteins

- for heterotrimeric G proteins, 806
- Shape complementarity antibody catalysis and, 759
- Shared active sites history of research, 1
- Shuffling helix helical membrane protein folding, stability, and evolution, 913
- Sialosides influenza hemagglutinin and, 531, 535
- Sigmatropic rearrangements antibody catalysis and, 755-60
- Signal transduction apoptosis and, 217-37 autophagy, CVT pathway, and pexophagy, 332-33 coupling of ORFs by translational bypassing, 343-69 cryptochrome circadian photoreceptor and, 31-63 cyclooxygenases and, 145-74 GTPase-activating proteins for heterotrimeric G proteins, 795-822 peroxisomal matrix and membrane protein import, 399-414 protein tyrosine kinase structure and function, 373-95 related lipid mediators and, 421-24 two-component, 183-207 yeast homotypic vacuole fusion and, 247-70
- Simple complexes cytochrome *bc* complexes and, 1022-24 *SIN4* gene mediator of transcriptional regulation and, 741
- Sinapis alba* cryptochrome circadian photoreceptor and, 42
- Single transmembrane helices helical membrane protein folding, stability, and evolution, 890-909
- Single-stranded DNA hexameric helicases and, 677
- Single-turnover assays GTPase-activating proteins for heterotrimeric G proteins, 818
- Sister chromatids chromosome dynamics and, 115-26
- Site-directed mutagenesis cytochrome *bc* complexes and, 1005-67 history of research, 20 influenza hemagglutinin and, 535
- Site-specific tagged proteins chemical protein synthesis and, 945-46
- Skin cancer cyclooxygenases and, 171
- Skip residue clathrin and, 708
- Sliding coupling of ORFs by translational bypassing, 343-69
- Slippage DNA replication fidelity and, 513-17 peptidyl-tRNA coupling of ORFs by translational bypassing, 352-54
- Small self-cleaving RNAs ribozyme structures and mechanisms, 600-7
- SMC proteins chromosome dynamics and, 115-39
- Snap-back coupling of ORFs by translational bypassing, 350
- $\alpha$ -SNAP/Sec17p protein yeast homotypic vacuole fusion and, 247-70
- SNARE proteins clathrin and, 719-20 yeast homotypic vacuole fusion and, 247-70
- SOH1* gene mediator of transcriptional regulation and, 745-46
- Solar day cryptochrome circadian photoreceptor and, 31-63
- Solid phase synthesis chemical protein synthesis and, 923, 950-51
- Sordaria macrospora* chromosome dynamics and, 122
- Spatial patterns microtubules and, 277-98
- Specialized intermediate compartment autophagy, CVT pathway, and pexophagy, 316-17
- Specificity aminoacyl-tRNA synthesis and, 629-31 GTPase-activating proteins for heterotrimeric G proteins, 812-14 influenza hemagglutinin and, 532-39 mediator of transcriptional regulation and, 729-47 platelet-activating factor and related lipid mediators, 419-41 yeast homotypic vacuole fusion and, 247-67, 270
- S phase

- cell cycle  
 chromosome dynamics  
 and, 115-39  
 regulation of  
 chromosome  
 replication and, 859-67  
 spindle assembly in  
 animal cells and, 98
- Sphingomyelinase  
 cyclooxygenases and, 170
- Spindle assembly  
 in animal cells  
 assembly pathways,  
 98-107  
 cells containing  
 centrosomes, 98  
 cells lacking  
 conventional  
 centrosomes, 103-5  
 chromosome movement,  
 99-110  
 conclusions, 110-11  
 mitotic spindle structure,  
 95-98  
 spindle bipolarity, 105-7
- Splicing  
 protein  
 protein autoproccessing  
 and, 447-93
- Split integral membrane  
 proteins  
 helical membrane protein  
 folding, stability, and  
 evolution, 911-13
- Spo76 protein  
 chromosome dynamics  
 and, 122
- SPP1 G40P protein  
 hexameric helicases and,  
 660-61
- SRB genes  
 mediator of transcriptional  
 regulation and, 729-47
- Srb proteins  
 mediator of transcriptional  
 regulation and, 737-39
- Src family tyrosine kinases  
 protein tyrosine kinase  
 structure and function,  
 382, 392-95
- src oncogene  
 cyclooxygenases and, 170
- Stabilization  
 helical membrane protein  
 folding, stability, and  
 evolution, 881, 893  
 microtubules and, 294-95
- Stagger  
 intrahelical  
 helical membrane  
 protein folding,  
 stability, and evolution,  
 913-14
- Staphylococcus aureus*  
 aminoacyl-tRNA synthesis  
 and, 641
- Starvation  
 autophagy, CVT pathway,  
 and pexophagy, 303-37
- Staurosporine  
 apoptosis signaling and,  
 226
- Stemloops  
 coupling of ORFs by  
 translational bypassing,  
 350
- Strain  
 antibody catalysis and,  
 766-69
- Strand misalignment  
 DNA replication fidelity  
 and, 497, 513-19
- Streptococcus pneumoniae*  
 two-component signal  
 transduction and, 206
- Stringency  
 coupling of ORFs by  
 translational bypassing,  
 362-64
- Structural biology  
 chemical protein synthesis  
 and, 947-49  
 cyclooxygenases and,  
 145-74
- Structure/function  
 relationships  
 cryptochrome circadian  
 photoreceptor and, 48-54  
 cytochrome *bc* complexes  
 and, 1005-67  
 hexameric helicases and,  
 651, 683-91  
 microtubules and, 277-98  
 mRNA decapping in  
*Saccharomyces cerevisiae*  
 and, 576-77  
 protein tyrosine kinases  
 and, 373-95  
 ribozymes and, 597-612  
 two-component signal  
 transduction and,  
 189-202
- Substrate channeling  
 swinging arms and  
 swinging domains in  
 multifunctional enzymes,  
 961, 987-95
- Substrate-induced  
 conformational changes  
 DNA replication fidelity  
 and, 497-523
- Substrate specificity  
 cyclooxygenases and,  
 152-54  
 platelet-activating factor  
 and related lipid  
 mediators, 419-41
- Subtilisin  
 antibody catalysis and, 776
- sud* gene  
 chromosome dynamics  
 and, 122
- Suicide inactivation  
 cyclooxygenases and, 150
- Sulfolobus sulfuricus*  
 aminoacyl-tRNA synthesis  
 and, 639
- Sulfur  
 ribozyme structures and  
 mechanisms, 609
- Supercoiling

- chromosome dynamics  
and, 130-34
- Supernumerary subunits  
cytochrome *bc* complexes  
and, 1022-24
- Suprachiasmatic nucleus  
cryptochrome circadian  
photoreceptor and, 31-62
- Surveillance  
mRNA  
mRNA decapping in  
*Saccharomyces cerevisiae* and, 584-85
- SV40 large T antigen  
hexameric helicases and,  
662, 671
- Swinging arms/swinging  
domains  
multifunctional enzymes  
and, 961-97
- Syk family  
protein tyrosine kinase  
structure and function,  
382-83
- Synaptobrevin  
clathrin and, 720
- Syndrome of rapid change in  
time zone  
cryptochrome circadian  
photoreceptor and, 61
- Synechocystis* sp.  
two-component signal  
transduction and, 188
- Synthetic-peptide chemistry  
chemical protein synthesis  
and, 926-929
- System architecture  
two-component signal  
transduction and, 202-4
- T**
- T4 gene 60  
coupling of ORFs by  
translational bypassing,  
343-69
- T4 gp41 protein  
hexameric helicases and,  
660
- T7 gp4 protein  
hexameric helicases and,  
660, 671, 686
- Take-off  
coupling of ORFs by  
translational bypassing,  
343, 348-57
- Targeting  
autophagy, CVT pathway,  
and pexophagy, 303-37
- peroxisomal matrix and  
membrane protein import,  
399-414
- Taxol  
microtubules and, 281,  
285-86, 291, 296-98
- spindle assembly in animal  
cells and, 107
- Temperature  
influenza hemagglutinin  
and, 546
- Template-primer slippage  
DNA replication fidelity  
and, 513-15
- Temporospatial patterns  
microtubules and, 277-98
- Termination  
coupling of ORFs by  
translational bypassing,  
348-52
- GTPase-activating proteins  
for heterotrimeric G  
proteins, 795-822
- Tertiary structures  
protein glucosylation and  
folding, 69-89
- Tetrachlorothiophene  
dioxide (TCTD)  
antibody catalysis and, 761
- Tethering  
yeast homotypic vacuole  
fusion and, 247-70
- Tetragonal crystals  
cytochrome *bc* complexes  
and, 1013, 1016, 1019
- Tetrahymena* spp.  
chromosome dynamics  
and, 127
- Tetrahymena thermophila*  
Group I intron  
ribozyme structures and  
mechanisms, 607-11
- Thermolysin  
influenza hemagglutinin  
and, 533
- Thermoplasma acidophilum*  
aminoacyl-tRNA synthesis  
and, 639
- Thermoplasma maritima*  
two-component signal  
transduction and, 191-92
- Thermoplasma thermophilus*  
aminoacyl-tRNA synthesis  
and, 622
- Thermotoga maritima*  
two-component signal  
transduction and, 188
- Thermus aquaticus*  
hexameric helicases and,  
669
- Thermus thermophilus*  
aminoacyl-tRNA synthesis  
and, 633, 638-39
- Thioesters  
chemical protein synthesis  
and, 923-57
- Three-dimensional crystals  
cytochrome *bc* complexes  
and, 1011-13
- three row* gene  
chromosome dynamics  
and, 137
- Three-site sequential models  
hexameric helicases and,  
675-76, 679-80
- Three-ten helix  
helical membrane protein  
folding, stability, and  
evolution, 895
- Threonine  
aminoacyl-tRNA synthesis  
and, 622, 628, 631, 634,  
641

- microtubules and, 296-97  
two-component signal transduction and, 187-88, 196
- Thrombotic events  
cyclooxygenases and, 145-74
- TIM* gene  
cryptochrome circadian photoreceptor and, 50, 53, 58, 60
- Time-dependent inhibition  
cyclooxygenases and, 161
- Tlg2 protein  
autophagy, CVT pathway, and pexophagy, 318
- tnaC* gene  
coupling of ORFs by translational bypassing, 351
- Tobacco mosaic virus  
history of research, 1, 3, 6-8
- Topoisomerases  
chromosome dynamics and, 121, 130, 132-35
- Tor kinase  
autophagy, CVT pathway, and pexophagy, 314
- Torsional model  
hexameric helicases and, 651, 682-83
- Trafficking  
yeast homotypic vacuole fusion and, 247-70
- trans*-activating regions  
protein splicing and, 465-68, 474-75, 491-92
- Transamidation  
aminoacyl-tRNA synthesis and, 617, 632, 637-39
- Transbilayer helices  
helical membrane protein folding, stability, and evolution, 881-915
- Transcriptional regulation  
cyclooxygenases and, 167, 172-74
- hexameric helicases and, 651-91
- mediator of, 729-47
- Transesterification  
protein splicing and, 454-55
- Transfer RNA (tRNA)  
aminoacyl-tRNA synthesis and, 617-42
- coupling of ORFs by translational bypassing, 343-69
- ribozyme structures and mechanisms, 601
- Transformations  
aminoacyl-tRNA synthesis and, 634-39
- Transgenes  
apoptosis signaling and, 229
- Transition-state analogs  
antibody catalysis and, 751-87
- Translation  
aminoacyl-tRNA synthesis and, 617-42
- coupling of ORFs by translational bypassing, 343-69
- Translational bypassing  
open reading frame coupling by  
16S rRNA, 359-60
- A site decoding, 361-64
- bridging, 358-59
- conclusions, 369
- gene 60, 364-68
- history, 344-48
- introduction, 344
- L9 ribosomal protein, 354-57
- landing, 361-68
- miscellaneous  
programmed bypassing examples, 368
- nascent peptide signal, 352-54
- peptidyl-tRNA slippage, 352-54
- P site decoding, 361-64
- recoding fidelity, 364-68
- scanning, 357-61
- stringency, 362-64
- take-off, 348-57
- termination, 348-52
- Translation initiation complex  
mRNA decapping in *Saccharomyces cerevisiae* and, 579-82
- Translesion synthesis  
DNA replication fidelity and, 522-23
- Translocation  
hexameric helicases and, 651, 677-83
- Transmembrane helices  
helical membrane protein folding, stability, and evolution, 890-909
- Transmembrane receptors  
protein tyrosine kinase structure and function, 373-95
- trans*-SNARE complexes  
yeast homotypic vacuole fusion and, 247-70
- Transport  
autophagy, CVT pathway, and pexophagy, 303-37
- platelet-activating factor and related lipid mediators, 419-41
- yeast homotypic vacuole fusion and, 265-66
- Treadmilling  
microtubules and, 288
- trf* genes  
chromosome dynamics and, 121-22
- Trimerization  
apoptosis signaling and, 222
- influenza hemagglutinin

- and, 533
  - Triskelions
    - clathrin and, 702–8, 711, 713, 717–18
  - trpR* gene
    - coupling of ORFs by translational bypassing, 368
  - Trunk domain
    - clathrin and, 714
  - Trypanosoma brucei*
    - rhodesiense*
      - two-component signal transduction and, 207
  - Trypanosoma cruzi*
    - protein glucosylation and folding, 72–74, 78, 81, 86–87
  - Tryptophan
    - aminoacyl-tRNA synthesis and, 618, 622, 624, 641
    - antibody catalysis and, 765
    - clathrin and, 710
    - coupling of ORFs by translational bypassing, 351
    - cyclooxygenases and, 156–57
  - Tubulin
    - microtubules and, 277–98
    - spindle assembly in animal cells and, 96, 103
  - Tumor necrosis factor (TNF)
    - receptor family
      - apoptosis signaling and, 217, 222–23
  - Tunicamycin
    - protein glucosylation and folding, 86
  - $\gamma$ -TuRC complexes
    - spindle assembly in animal cells and, 103
  - Turnover
    - mRNA decapping in *Saccharomyces cerevisiae* and, 571–92
  - Two-component signal transduction
    - antimicrobial therapy targets, 206–7
    - genomic distribution
      - eukaryotes, 188–89
      - His-Asp vs Ser/Thr/Tyr phosphorylation pathways, 187–88
      - prokaryotes, 188–89
    - histidine-containing phosphotransfer domain, 193–94
    - histidine kinase
      - structure/function relationships
        - activities and architecture, 189–91
        - kinase catalytic core, 191–93
        - linker domain, 195
        - sensing domain, 194–200, 202
    - perspectives, 207
    - phosphotransfer chemistry
      - phosphoaspartate chemistry, 187
      - phosphohistidine chemistry, 185–87
      - reactions, 185
    - regulatory mechanisms
      - histidine kinase activity regulation, 204–5
      - miscellaneous modes of regulation, 205–6
      - response regulator dephosphorylation, 205
    - response regulator
      - structure/function relationships
        - activation by phosphorylation, 199–202
        - activities and architecture, 195–96
        - effector domain, 198–99
        - regulatory domain, 196–98
    - summary, 207
    - system architecture
      - integration of systems, 203–4
      - phosphotransfer systems, 202
  - Two-dimensional crystals
    - cytochrome *bc* complexes and, 1010–11
  - Two-site sequential NTPase model
    - hexameric helicases and, 675–76
  - Two-site translocation model
    - hexameric helicases and, 680
  - Two-stage model
    - helical membrane protein folding, stability, and evolution, 881–915
  - Tyrosine
    - aminoacyl-tRNA synthesis and, 622, 624, 628, 634, 640
    - antibody catalysis and, 765, 767, 771–72, 775, 778
    - coupling of ORFs by translational bypassing, 351
    - cyclooxygenases and, 148–61
    - protein tyrosine kinase
      - structure and function, 373–95
    - two-component signal transduction and, 187–88
- U**
- U0126
    - cyclooxygenases and, 170
  - UDP-Glc:glycoprotein glycosyltransferase
    - protein glucosylation and folding, 69, 72–76
  - Ultracentrifugation
    - history of research, 1, 3, 6, 8–11, 13



- unc-11* gene  
clathrin and, 720
- Uncatalyzed finishing  
  reactions  
  protein splicing and, 456
- Uncoating  
clathrin and, 722
- Uncoupling  
  cytochrome *bc* complexes and, 1055–56  
  hexameric helicases and, 681, 690
- Unidirectional translocation  
  hexameric helicases and, 678–81
- Unprotected peptide segments  
  chemical protein synthesis and, 923, 929–34
- Unwinding  
  hexameric helicases and, 651, 677–83, 668–69
- Unzipping  
  protofilament  
  microtubules and, 283
- Urea  
  ribozyme structures and mechanisms, 603
- Ustilago maydis*  
  regulation of chromosome replication and, 859
- V**
- Vac proteins  
  autophagy, CVT pathway, and pexophagy, 321–22
- Vacuoles  
  autophagy, CVT pathway, and pexophagy, 303–37  
  yeast homotypic vacuole fusion and, 247–70
- Valine  
  aminoacyl-tRNA synthesis and, 622, 628, 630–31  
  antibody catalysis and, 765  
  coupling of ORFs by translational bypassing, 345
- cyclooxygenases and, 155, 157–58, 160
- Vam proteins  
  autophagy, CVT pathway, and pexophagy, 318–20
- van der Waals contacts  
  antibody catalysis and, 762  
  helical membrane protein folding, stability, and evolution, 900, 903, 906–7
- Vegetative conditions  
  autophagy, CVT pathway, and pexophagy, 303–37
- Vertebrates  
  chromosome dynamics and, 123  
  cytochrome *bc* complexes and, 1012–13
- Vesicles  
  autophagy, CVT pathway, and pexophagy, 303–37  
  clathrin and, 699–723  
  Golgi  
    yeast homotypic vacuole fusion and, 268–69
- Vinblastine  
  microtubules and, 296–97
- Vioxx  
  cyclooxygenases and, 146, 165
- Viral entry  
  influenza hemagglutinin and, 531–63
- Viruses  
  clathrin and, 712  
  cyclooxygenases and, 152  
  hexameric helicases and, 662–63  
  history of research, 1, 3, 6–8  
  protein glucosylation and folding, 80–81, 89  
  ribozyme structures and mechanisms, 597, 605
- VMA protein  
  protein splicing and, 463–65
- Vps proteins  
  autophagy, CVT pathway, and pexophagy, 315, 317–18, 320
- Vti1 protein  
  autophagy, CVT pathway, and pexophagy, 319
- W**
- “Wait anaphase” signal  
  spindle assembly in animal cells and, 101, 111
- Warner’s syndrome  
  regulation of chromosome replication and, 864
- Water  
  helical membrane protein folding, stability, and evolution, 899
- Wedge model  
  hexameric helicases and, 651, 682–83
- Wobble  
  G-U  
    aminoacyl-tRNA synthesis and, 625  
    ribozyme structures and mechanisms, 609
- Wrap  
  local  
    chromosome dynamics and, 131
- Writhe  
  global dynamics and, 130–31
- X**
- XCTK2 protein  
  spindle assembly in animal cells and, 102
- Xenopus laevis*  
  chromosome dynamics and, 118, 120, 127–29, 132, 136, 138  
  cryptochrome circadian photoreceptor and, 40, 45,

- 58  
microtubules and, 289, 294  
regulation of chromosome replication and, 832-33, 836-37, 840, 842-44, 846-50, 869
- XKCM1 protein**  
spindle assembly in animal cells and, 100
- XKCM1/XKIF2 factor**  
microtubules and, 294
- XKLP2 protein**  
spindle assembly in animal cells and, 106
- X-ray crystallography**  
chemical protein synthesis and, 923-57  
clathrin and, 699-723  
cytochrome *bc* complexes and, 1005-67  
hexameric helicases and, 651-91  
history of research, 1, 20, 27  
influenza hemagglutinin and, 531-63  
protein splicing and, 461-65  
protein tyrosine kinase structure and function, 373-95  
ribozyme structures and mechanisms, 597-612  
two-component signal transduction and, 192-94
- Y**
- Yarrowia lipolytica***  
peroxisomal matrix and membrane protein import, 408
- Yeast**  
aminoacyl-tRNA synthesis and, 619, 622, 627  
autophagy, CVT pathway, and pexophagy, 303-37  
chromosome dynamics and, 118-37  
clathrin and, 707, 714, 718-19  
cryptochrome circadian photoreceptor and, 33  
cytochrome *bc* complexes and, 1019  
GTPase-activating proteins for heterotrimeric G proteins, 821  
hexameric helicases and, 663  
mediator of transcriptional regulation and, 729-47  
microtubules and, 283, 288  
mRNA decapping in *Saccharomyces cerevisiae* and, 571-92  
peroxisomal matrix and membrane protein import, 402-3, 406-7  
protein glucosylation and folding, 73, 75-76, 87  
protein splicing and, 463-65  
regulation of chromosome replication and, 830-70  
two-component signal transduction and, 188-89, 193-94, 203
- Yeast homotypic vacuole fusion**  
assay of homotypic fusion, 249-60  
background, 248-49  
catalysts, 250-55  
comparisons to other fusion reactions, 264-69  
discovery assays, 259-60  
docking, 258-59  
endoplasmic reticulum, 269  
endoplasmic reticulum-to-Golgi transport, 265-66  
evolving fusion paradigms, 262-64  
exocytosis, 266  
fusion, 259  
mammalian early endosomes, 264-65  
mitotic Golgi vesicles, 268-69  
neural transmission, 266-68  
priming, 255-58  
related biology of vacuoles, 261-62  
stages of fusion reaction, 255-59
- Ypt proteins**  
autophagy, CVT pathway, and pexophagy, 319-20  
yeast homotypic vacuole fusion and, 247-70
- Z**
- Zap70/Syk family**  
protein tyrosine kinase structure and function, 382-83
- ZDS genes**  
chromosome dynamics and, 121-22
- Zeitgeber**  
cryptochrome circadian photoreceptor and, 33, 51, 53
- Zigzags**  
clathrin and, 709-13
- ZW10 protein**  
spindle assembly in animal cells and, 109

